

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	17.877 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify maker can update the budget code	10	10	0	0	17.874 s
	feature						

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 17.877 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 9:35:00.363 PM	1 // 9:35:18.240 PM /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To verify maker can update the budget code



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.984 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.602 s
	screenshot		
	The Control of the Co		
2	Then click on budget configuration Menu	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)   AFTER_STEP - stepdefinitions. HooksClass. a	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then click on pencil icon near by budget code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And update the budget code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  DATAS  PASSED  0.282 S  0.282 S  0.283 S  0.283 S  0.247 S  0.247 S  0.220 S  0		0		
Screenshot   Scr	3		PASSED	0.350 s
Then click on pencil icon near by budget code AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.177 s  PASSED  O.143 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
Then click on pencil icon near by budget code  After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And update the budget code  Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Screenshot  Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Arter_Step - step -		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.317 s  0.317 s		© Namestra   10		
Screenshot  5 And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.177 s  PASSED  0.143 s	4	Then click on pencil icon near by budget code	PASSED	0.083 s
5 And update the budget code PASSED 0.247 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.177 s  PASSED 0.177 s  PASSED 0.143 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
5 And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.247 s  0.220 s  0.220 s  0.221 s  0.222 s  0.223 s  0.224 s  0.220 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.220 s  PASSED  0.177 s  PASSED  0.143 s		© sumertanue. © Materianue. T materianue (E an. © Materianue.		
Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.177 s  0.143 s	5	And update the budget code	PASSED	0.247 s
6 Then update the budget budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.177 s  0.143 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
6 Then update the budget budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.177 s  0.143 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s		0		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s	6	Then update the budget budget type	PASSED	0.177 s
screenshot		, , , , , , , , , , , , , , , , , , , ,	PASSED	0.143 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
	# O AND TANKERS   PARTIES   PARTIES		
7	Then update warning percentage	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
	## OF CONTRACTORS   PRODUCTION   STATE OF CONTRACTORS   PRODUCTION   P		
8	Then update budget name	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	Screenshot   * * * * * * * * * * * * * * * * * *		
9	Then update remark	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.148 s
10	And click on save after update all the details	PASSED	0.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	## OF THE PROPERTY OF THE PRO		

EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

