


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	59.614 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify details are auto populated on Inventory Stock Receipt		12	0	0	59.607 s
		Confirmation post entering GRN reference.					

DETAILED SECTION

(F)- AR/AP Module

PASSED	DURATION - 59.614 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 1:37:36.747 PM	1 // 1:38:36.361 PM /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify details are auto populated on Inventory Stock Receipt Confirmation post entering GRN reference.

PASSED DURATION - 59.607 s									-	-				Steps			
/ 1:37:36.754 PM // 1:38:36.361 PM /	30 -							1						Total - 12			
7 1.37.30.734 TWW 1.30.30.301 TWY	20 -	-						- i						Pass - 12		12	
AR/AP Module	10 -	 							¦	-	-			Fail - 0		12	,
@KUBS_AR/AP_UAT_001_005_TC_04 @AR/AP	0 -	 	<u> </u>	-		<u> </u>	-		Skip - 0	\		1					
		1	2	3	4	5	6	7	8	9	10	11	12				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	36.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.931 s
	screenshot		
	### ### ### ### #####################		
2	And user should navigate to accounts payable menu	PASSED	3.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
	Weaton Spin - Autohore - Admin C C G G And G G G G And G G G G G G G G G G G G G G G G G G G		


Then Click on Good Recived Note GRN Eye buutton	#	Step / Hook Details	Status	Duration
screenshot Then update data set id for gm auto populated? AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on search AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on the item Details tab AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.099 s O.0	3	Then Click on Good Recived Note GRN Eye buutton	PASSED	1.406 s
### PASSED 0.099 s ### PASSED 0.099 s ### PASSED PASSED		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.821 s
### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ### AF		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then open the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.625 s 0.196 s 0.196 s 0.711 s 0.586 s				
Screenshot Then click on search AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then open the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.317 s 0.317 s	4	Then update data set id for grn auto populated2	PASSED	0.099 s
Then click on search AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.086 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.625 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.317 s 0.317 s 0.317 s PASSED 0.711 s PASSED 0.786 s PASSED 0.786 s PASSED 7 Then Click on the item Details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.667 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.317 s 0.317 s 0.317 s PASSED 0.711 s PASSED 0.786 s PASSED 0.786 s PASSED 7 Then Click on the item Details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.667 s		*** CENTRO **** *******************************		
Screenshot 6 Then open the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on the item Details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.203 s PASSED 0.667 s	5	Then click on search	PASSED	0.196 s
6 Then open the record PASSED 0.711 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Click on the item Details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.203 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.667 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Click on the item Details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.203 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.586 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Click on the item Details tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.203 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.586 s		**************************************		
7 Then Click on the item Details tab AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.667 s	6	Then open the record	PASSED	0.711 s
7 Then Click on the item Details tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.667 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.586 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.667 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.667 s		### Wand of Equal Control Cont		
	7	Then Click on the item Details tab	PASSED	2.203 s
- Paragraph et		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.667 s
		screenshot		

#	Step / Hook Details	Status	Duration
	Wester light - functions - depend () and the function of the		
8	Then Click on Account Payable	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
	*** A SECTION *** A SECTION OF THE S		
9	Then Click on Inventory Management	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot]	
	*** ACENTRO ***********************************		
10	Then Click on inventory stock receipt Eye Icon	PASSED	0.912 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.686 s
	screenshot		
	### A PART OF THE		
11	Then Click on inventory stock Add button	PASSED	0.748 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
	*** ACCENTS** ** ACCENTS** *** ACCENTS** *** ACCENTS** *** ACCENTS** *** ACC		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
12	Then enter GRN reference check details auto populated	PASSED	2.563 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
	# Name of the part		


EXPANDED SECTION -- 8 --




EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --



EXPANDED SECTION --- 11 --





EXPANDED SECTION --- 13 --

