


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	24.060 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	Check the Functionality of AR/AP	Verify Advance against PO is adjusted against the selected	46	13	1	32	24.050 s
	Module	bill and Net Adjusted Value is correctly displayed					

DETAILED SECTION -- 4 --

## **(F)-** Check the Functionality of AR/AP Module

FAILED	DURATION - 24.060 s	Scenarios		Steps	
		Total - 1		Total - 46	
/ 2:17:17.469 pn	n // 2:17:41.529 pm /	Pass - 0	1	Pass - 13	46
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 32	

## (S)- Verify Advance against PO is adjusted against the selected bill and Net Adjusted Value is correctly displayed

FAILED	DURATION - 24.050 s																	;	Steps		
/ 2:17:17 47	9 pm // 2:17:41.529 pm /	10	'-  -	-			-		-!	- L -	-		-			- -		-	Total - 46		
/ 2.17.17.47	σ μπ // 2.11.41.323 μπ /	5		L	<u>.</u>	Ĺ.	j.,		į.,	. i	į.	. j.	.i.	. j.			_ i _		Pass - 13	46	
Check the Fu	nctionality of AR/AP Module	,		ı			-												Fail - 1	40	5
@KUBS AR	AP_UAT_004_006_TC_01	0	_	<u>.</u> .	<u> </u>		_	÷	<u> </u>	_	<u> </u>				Skip - 32						
@1.000_/ (i.t_	<u>,                                    </u>			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.874 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
	The Contraction of the Contracti		
2	Then Choose the second Tab Segment	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		

3 And Click On Main module Accounts Receivable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksC	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Click Add icon button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And Click Add icon button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s  0.154 s		Comment		
screenshot  4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And Click Add icon button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.447 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s	3	And Click On Main module Accounts Receivable	PASSED	0.126 s
4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  5 And Click Add icon button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.447 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.165 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click Add icon button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.433 s  PASSED  0.414 s  0.414 s  4 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.447 s  PASSED  0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click Add icon button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.447 s  PASSED  0.165 s		Promise © C		
screenshot  5 And Click Add icon button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.447 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s	4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.426 s
5 And Click Add icon button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.447 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
5 And Click Add icon button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.414 s  PASSED  0.447 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.414 s  PASSED  0.447 s  PASSED  0.165 s		0 / 0.07 miles well accepted 0.00/030 miles   0.00 mile		
Screenshot  6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.447 s  0.165 s	5	And Click Add icon button	PASSED	0.333 s
6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.447 s  0.165 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
6 Then Enter the Receivable Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.447 s  0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s				
	6	Then Enter the Receivable Name	PASSED	0.447 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
		screenshot	]	


#	Step / Hook Details	Status	Duration
	1		
7	And Enter Business partner	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
8	Then Enter the PO Number	PASSED	0.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
9	And Enter Payment mode	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
10	Then Enter Amount value	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot	]	
		-	-


#	Step / Hook Details	Status	Duration
11	And Choose Needed Currancy	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.181 s
12	Then Choose cost center	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	■		
13	And Enter Description value	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.182 s
14	Then Save the Advance Record	FAILED	1.168 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration
	name: Windows 10, os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver into: org.openga.selenium.chrome.ChromeDriver Command: [468eb8239f6a790e8201480986ee66ef, clickElement [4id=c00b1del-f51c-4b4c-b26c-eaa84f490b3c]] Capabilities [acceptinsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverVersion: 98.0.4758.80 (770488e8ba0d8, userDataDir: CXUsersiNININDC-1AppDataL), goog:chromeOptions: (debuggerAddress: localhost:60179), avascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp. vs./flocalhost:60179/devloo, se.cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (468eb8239f6a790e82014480986ee66ef)] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 468eb8239f6a790e82014480986ee66ef] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 468eb8239f6a790e82014480986ee66ef] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 468eb8239f6a790e82014480986ee66ef] -> xpath: (//ion-header[1]/ion-hoolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 468eb8239f6a790e82014480986ee66ef] -> xpath: (//ion-header[1]/ion-hoolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 468eb8239f6a790e82014480986ee66ef] -> xpath: (//ion-header[1]/ion-hoolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 468eb8239f6a790e82014480986ee66ef] -> xpath: (//ion-header[1]/ion-hoolbar[1]/ion-buttons[2]/ion-button[1]/ion-button[1]/ion-button[2]/ion-button[1]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-button[2]/ion-but		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.111 s
	■ © 400 (100 (100 (100 (100 (100 (100 (100		


#	Step / Hook Details	Status	Duration
15	Then Goto The Notification Icon	SKIPPED	0.000 s
16	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
17	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
18	Given Navigate as a Reviewer	SKIPPED	0.001 s
19	Then click on Notify icon	SKIPPED	0.000 s
20	And Click First record Action icon	SKIPPED	0.000 s
21	Then Approve the record in Reviewer	SKIPPED	0.000 s
22	And Give Remark and Submit	SKIPPED	0.000 s
23	Given Navigate as a Checker	SKIPPED	0.000 s
24	Then Click module security management	SKIPPED	0.000 s
25	And Claim the Record in Checker	SKIPPED	0.001 s
26	Then Goto the Checker notification Icon	SKIPPED	0.000 s
27	And Click the First Action Icon	SKIPPED	0.000 s
28	Then Approve the Record in checker stage	SKIPPED	0.000 s
29	And Give the Remark and Submit it	SKIPPED	0.000 s
30	Given Navigate The Azentio Url	SKIPPED	0.000 s
31	Then Choose the second Tab Segment	SKIPPED	0.000 s
32	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
33	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
34	And Click On Search Icon	SKIPPED	0.000 s
35	Then Enter Active Value In Advance Status	SKIPPED	0.000 s
36	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
37	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
38	And Click On Main module Accounts payable	SKIPPED	0.000 s
39	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
40	And Click Add icon button	SKIPPED	0.000 s
41	Then Enter payment option	SKIPPED	0.000 s
42	And Give stored Business partner Name	SKIPPED	0.000 s
43	Then Choose value date as System current date	SKIPPED	0.000 s
44	And find the Advance reference number and Net Adjustable value in the billing queue	SKIPPED	0.000 s
45	Then Click the Checkbox As Tick	SKIPPED	0.000 s
46	And Verify the Net Adjusted Value is correctly displayed	SKIPPED	0.000 s

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

