Cucumber Report

| Start : Dec 23, 11:43:39.321 AM	End : Dec 23, 11:46:18.229 AM	Duration : 2 m 38.908 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	2 m 38.908 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise	8	7	1	0	2 m 38.881 s

(F)- AR_AP Module

FAILED	DURATION - 2 m 38.908 s		Scenarios		Steps	
/ 11:43:39.321 AM // 11:46:18.229 AM /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 8 Pass - 7 Fail - 1 Skip - 0	8

(S)- Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise

FAILED	DURATION - 2 m 38.881 s			Steps	
/ 11:43:39.348 AM // 11:46:18.229 AM /				Total - 8	8
AR_AP Module				Pass - 7	
@KUBS_AR_AP_UAT_008_001_TC_01 @AR/AP @Fail				Fail - 1 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 17.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.093 s
	screenshot		
2	And click on arap configuration main menu	PASSED	4.019 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.957 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click on payment file generation setup sub menu	PASSED	1.513 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.290 s
	screenshot		
4	And user update the Excelsheet Testdata for payment file download	PASSED	0.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.691 s
	screenshot		
5	And configure the file format as Bank & Account Number Wise	PASSED	3.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		
6	And save the arap configure record	PASSED	3.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.546 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Update Deposited Cheque Notification	PASSED	2.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.839 s
	screenshot		
8	And Select and Submit the Update Deposited Cheque records	FAILED	33.441 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'null')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button"} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.202', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ef2060ab8666f3e16d33722e06080cd0, findElement {using=xpath, value=//span[contains(text(),'null')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50136}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50136/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ef2060ab8666f3e16d33722e06080cd0
	    at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ACCOUNTSPAYBLE_PaymentFileDownload. select_and_submit_the_update_deposited_cheque_records(ACCOUNTSPAYBLE_PaymentFileDownload.java:171) at ?.Select and Submit the Update Deposited Cheque records(file:///C:/Users/ININDC00075/git/ Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:737) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.647 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank & Account Number Wise

(F) AR_AP Module