Cucumber Report

Start : Jan 15, 2:57:51.234 AM	End : Jan 15, 2:58:10.959 AM	Duration : 19.725 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 7 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of BudgetTransfer	1	1	0	0	19.725 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of BudgetTransfer	searching the Budget Transfers record through search criteria	7	7	0	0	19.722 s

(F)- Check the Functionality of BudgetTransfer

PASSED	*DURATION - 19.725 s*		Scenarios		Steps	
/ 2:57:51.234 AM // 2:58:10.959 AM /			Total - 1 Pass - 1 Fail - 0 Skip - 0	**1**	Total - 7 Pass - 7 Fail - 0 Skip - 0	**7**

(S)- searching the Budget Transfers record through search criteria

PASSED	*DURATION - 19.722 s*		Steps	
/ 2:57:51.237 AM // 2:58:10.959 AM /			Total - 7	
Check the Functionality of BudgetTransfer			Pass - 7 Fail - 0	**7**
@BudgetTransfer_BP_BT_10_01			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Maker login	PASSED	9.443 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
2	And Maker click on the direction tab	PASSED	0.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Maker click on the budget	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
4	Then Maker click on budget transfer eye button	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
5	Then Maker click on the search icon	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
6	Then maker enter the required data	PASSED	0.695 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then click on the matching record	PASSED	5.052 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) searching the Budget Transfers record through search criteria	
(F) Check the Functionality of BudgetTransfer	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) searching the Budget Transfers record through search criteria	
(F) Check the Functionality of BudgetTransfer	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) searching the Budget Transfers record through search criteria

(F) Check the Functionality of BudgetTransfer

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) searching the Budget Transfers record through search criteria

(F) Check the Functionality of BudgetTransfer

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) searching the Budget Transfers record
through search criteria

(F) Check the Functionality of
BudgetTransfer

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) searching the Budget Transfers record
through search criteria

(F) Check the Functionality of
BudgetTransfer

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) searching the Budget Transfers record through search criteria

(F) Check the Functionality of BudgetTransfer