Cucumber Report

| Start : Apr 03, 10:06:58.241 AM	End : Apr 03, 10:08:01.543 AM	Duration : 1 m 3.302 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 0

1

1

7

Pass %

0 %

0 %

85 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Bank Reconcilliation functionality	1	0	1	0	1 m 3.302 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Bank Reconcilliation functionality	Verify system gives correct match basis the matching rule defined	7	6	1	0	1 m 3.295 s

(F)- Checking the Bank Reconcilliation functionality

FAILED	DURATION - 1 m 3.302 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 10:06:58.241 AM // 10:08:01.543 AM /		Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify system gives correct match basis the matching rule defined

FAILED	DURATION - 1 m 3.295 s		Steps	
/ 10:06:58.248 AM // 10:08:01.543 AM /			Total - 7	
Checking the Bank Reconcilliation functionality			Pass - 6	7
@KUBS_TAX_UAT_002_002_TC_007_01 @MultiAuth			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	26.782 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.477 s
	screenshot		
2	Then select data set ID for verify match record basis data matching rule	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.624 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user should navigate to bank recon format menu	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
4	When click on eye button of bank recon format	PASSED	0.730 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.845 s
	screenshot		
5	Then open bank recon format configuration of a bank	PASSED	3.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.847 s
	screenshot		
6	And navigate to data matching rule	PASSED	0.788 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.818 s
	screenshot		
7	Then get the matching rule for correct match record	FAILED	22.861 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[text()=' Transaction Date ']/ancestor::datatable-row-wrapper/descendant::ion-button[1]' (tried for 20 second(s) with 800 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92)		
	at stepdefinitions.BankRecon_BankReconciliation.get_the_matching_rule_for_correct_match_record(BankRecon_BankReconciliation.java:721)		
	at ?.get the matching rule for correct match record(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/BankRecon_BankReconciliation.feature:117)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()=' Transaction Date ']/ancestor::datatable-row-wrapper/descendant::ion-button[1]"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.87', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [797d555f70f54031fe6a75059218ef54, findElement {using=xpath, value=//span[text()=' Transaction Date ']/ancestor::datatable-row-wrapper/descendant::ion-button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63096}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63096/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 797d555f70f54031fe6a75059218ef54		
	at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92)		
	at stepdefinitions.BankRecon_BankReconciliation.get_the_matching_rule_for_correct_match_record(BankRecon_BankReconciliation.		

#	Step / Hook Details	Status	Duration
	java:721)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.220 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system gives correct match basis the matching rule defined

(F) Checking the Bank Reconcilliation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system gives correct match basis the matching rule defined

(F) Checking the Bank Reconcilliation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system gives correct match basis the matching rule defined

(F) Checking the Bank Reconcilliation functionality

AZENTIO ONEBanking

28-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
  Recon format

22 Appro...   11 Mess...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system gives correct match basis the matching rule defined

(F) Checking the Bank Reconcilliation functionality

AZENTIO ONEBanking

28-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
  Recon format
- Petty cash configuration

22 Appro...   11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system gives correct match
basis the matching rule defined

(F) Checking the Bank Reconcilliation
functionality

AZENTIO
ONEBanking

28-Jan-2023   English   Azentio Software   (AZENTMAIN)   ANANT

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configurat...

Budget configuration

Fixed assets configuration

Inventory maintenance

Bank recon

Recon format

Petty cash configuration

22 Appro...   11 Mess...

← Bank Format Master List View   ✕

Actions	Bank Name	Applicable Account Typ	Upload File Extension	Status	Created By	Created Da
	IDFC BANK	Search Applicable A	Search Upload File I	Search Status	Search Created By	Search Cr
👁 ✏	IDFC BANK	SAVINGS ACCOUNT	Text	Active	1002435	27-Mar-20:

1 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system gives correct match
basis the matching rule defined

(F) Checking the Bank Reconcilliation
functionality

AZENTIO
ONEBanking

28-Jan-2023   English   Azentio Software   (AZENTMAIN)   ANANT

Format Master   Data Matching Rule

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configurat...

Budget configuration

Fixed assets configuration

Inventory maintenance

Bank recon

Recon format

Petty cash configuration

22 Appro...   11 Mess...

← Data Matching View   FORMAT PREVIEW 🔍

Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
👁 ✏	Value Date	Date		24	6	Active
👁 ✏	Transaction Date	Date		12	1	Active
👁 ✏	Instrument Number	Alphanumeric		24	2	Active
👁 ✏	Deposits	Numeric		25	3	Active
👁 ✏	Particulars	Alphanumeric		21	5	Active
👁 ✏	Withdrawals	Numeric		24	4	Active

6 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify system gives correct match basis the matching rule defined

(F) Checking the Bank Reconcilliation functionality

AZENTIO
ONEBanking

28-Jan-2023   English   Azentio Software   (AZENTMAIN)   ANANT

| Format Master | Data Matching Rule |

← Data Matching View

FORMAT PREVIEW

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- **Recon format**
- Petty cash configuration

22 Appro...   11 Mess...

Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
👁 ✏	Value Date	Date		24	6	Active
👁 ✏	Transaction Date	Date		12	1	Active
👁 ✏	Instrument Number	Alphanumeric		24	2	Active
👁 ✏	Deposits	Numeric		25	3	Active
👁 ✏	Particulars	Alphanumeric		21	5	Active
👁 ✏	Withdrawals	Numeric		24	4	Active

6 total