
Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 0.326 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Checking of downloaded payment files for online payment	8	7	1	0	1 m 0.298 s
		where create file basis is Bank Wise					

DETAILED SECTION -- 4 --

(F)- AR_AP Module

FAILED	DURATION - 1 m 0.326 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 5:04:56.285 P	PM // 5:05:56.611 PM /	Pass - 0	1	Pass - 7	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Checking of downloaded payment files for online payment where create file basis is Bank Wise

FAILED DURATION - 1 m 0.298 s								-			Steps	
/ 5:04:56.313 PM // 5:05:56.611 PM /	30 -			-							Total - 8	
AR_AP Module	20 -										Pass - 7	8
@blocker @AR/AP	10 -	- 1									Fail - 1	
@KUBS_AR_AP_UAT_008_002_TC_01	0 -		1	2	3	4	5	6	7	8	Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	36.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.788 s
	screenshot		
2	And click on arap configuration main menu	PASSED	0.700 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot		
	Note the second of the second		


Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) And user update the Excel sheet testdata for online payment Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario) Arter_step - step definitions. HooksClass. add Screenshot (io.cucumber.java. Scenario)
And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And configure the file format as Bank Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.679 s 0.421 s 0.421 s
And user update the Excel sheet testdata for online payment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And configure the file format as Bank Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.679 s 0.421 s 0.421 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And configure the file format as Bank Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.421 s 0.421 s PASSED 0.975 s 0.297 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And configure the file format as Bank Wise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.421 s 0.421 s PASSED 0.975 s 0.297 s
Screenshot And configure the file format as Bank Wise AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.975 s 0.297 s
5 And configure the file format as Bank Wise PASSED 0.975 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.297 s
5 And configure the file format as Bank Wise PASSED 0.975 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.297 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.297 s
screenshot Compared to the
AND STATE OF THE PROPERTY OF T
Tennan 1
6 And save the arap configure record PASSED 1.741 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s
screenshot
Company Comp
7 Then Click on Update Deposited Cheque Notification 0.839 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.495 s
screenshot

#	Step / Hook Details	Status	Duration
8	And Select and Submit the Update Deposited Cheque recordssss	FAILED	2.020 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method": "spath"; selector": "/Ispan[contains(text/). (493)]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/ion-button") (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: https://selenium.dev/exceptions//mo_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9730', ip: '10.200.4.150', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [0c5dc60467e5a40e0857595fd640d232, findElement (using=xpath, value=/!span[contains(text/).493]/[ancestor::datatable-body-cell/pro-cell/preceding-sibling::datatable-body-cell/pro-button]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71} (1e0e3868e06, userDatable: dise, proventale), goog:chromeOptions: {debuggerAddress: localhost:56604}, javascripEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:56604/devtoo, secdpVersion: 108.0.5359.125, setWindowRect: true, stricellellelneractability: false, inneous: {mpiniencous: funitions: documents} (a tipk), webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 0c5dc60467e5a40e085f759f5d40d323 at jdk.internal.reflect.Constructor.Accessor37.newInstance(Unknown Source) at java.base/jdk.internal.reflect.Constructor.newInstance(WintCaller(Constructor.java:499) at java.base/jdk.internal.reflect.Constructor.newInstance(Virtual) at java.base/java.lang.reflect.Constructor.newInstance(Virtual) at java.base/java.lang.reflect.Constructor.newInstance(Virtual) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.eva.w3c.W3CHttpR		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

