


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Updating deposited cheques functionality	1	1	0	0	1 m 0.027 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable	Update cheque status to Cleared Bouncing & redepositing	15	15	0	0	1 m 0.024 s
	Updating deposited cheques *	of deposited cheques					

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Checking the Acount Receivable Updating deposited cheques functionality

PASSED	DURATION - 1 m 0.027 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 6:53:32.907 PI	M // 6:54:32.934 PM /	Pass - 1	1	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Update cheque status to Cleared Bouncing & redepositing of deposited cheques

PASSED DURATION - 1 m 0.024 s			-	-		-	-	-	-	-	-	-		-			Steps		
/ 6:53:32.910 PM // 6:54:32.934 PM /	10 -											-			-		Total - 15		
Checking the Acount Receivable Updating deposited cheques functionality	5 -		- +				-	-	-					-	+-	-	Pass - 15 Fail - 0	15	
@MultiAuth @KUBS_AR/AP_UAT_010_004_TC_01	0 -	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 0		,

Step / Hook Details	Status	Duration
Given Maker Navigate to UAT URL login	PASSED	8.968 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
screenshot		
Then Click on Direction icon	PASSED	2.315 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
screenshot		
	Given Maker Navigate to UAT URL login AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Click on Direction icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	Given Maker Navigate to UAT URL login AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on Direction icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED PASSED

#	Step / Hook Details	Status	Duration
	The Control Address of		
3	Then Click on Account Recivable button	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
4	Then Click on Update cheque status Note icon	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.200 s
5	Then Select the Record	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.284 s
6	Then Select Cheque Status Cleared	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		


7 Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 2 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 3 Then Click on Update Deposited Cheque Notification 4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And Select and Submit the Update Deposited Cheque record 4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Screenshot 6 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 6 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 7 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 AASSED 9 AASSED 9 AASSED 9 ASSED	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Select and Submit the Update Deposited Cheque record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then log in to the reviewer account AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) D AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
screenshot Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Depart of the log in to the reviewer account AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Depart of the log in to the reviewer account AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Depart of the log in to the reviewer account AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Depart of the log in to the reviewer account AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Depart of the log in to the reviewer account AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Depart of the log in to the reviewer account AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Depart of the log in to the reviewer account AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Depart of the log in the log	7	Then Click on save button to save the Record for Account Recivable	PASSED	
Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then log in to the reviewer account ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - stepdefinitions. Ho		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
Then Click on Update Deposited Cheque Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then log in to the reviewer account AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.341 s PASSED 0.104 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select and Submit the Update Deposited Cheque record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then log in to the reviewer account AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.341 s PASSED 0.158 s 0.158 s				
screenshot 9 And Select and Submit the Update Deposited Cheque record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then log in to the reviewer account AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.341 s PASSED 0.104 s	8	Then Click on Update Deposited Cheque Notification	PASSED	0.123 s
9 And Select and Submit the Update Deposited Cheque record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then log in to the reviewer account AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.341 s PASSED 0.104 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
9 And Select and Submit the Update Deposited Cheque record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then log in to the reviewer account AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.341 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.104 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then log in to the reviewer account AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.341 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.089 s				
screenshot 10 Then log in to the reviewer account AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.104 s	9	And Select and Submit the Update Deposited Cheque record	PASSED	9.819 s
10 Then log in to the reviewer account AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.104 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.089 s
10 Then log in to the reviewer account AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.104 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.104 s		No.		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.104 s	10	Then log in to the reviewer account	PASSED	5.341 s
screenshot				
		screenshot	1	

#	Step / Hook Details	Status	Duration
	© € nativations 20.000 type: 0000000 € € 0.0000		
11	Then click on the Notification select the Cheque record and Approve	PASSED	5.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
	# O Main Franchisco Participation Particip		
	E 2		
12	Then log in to the Checker Account	PASSED	4.581 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
	** O AND Transformation *** OF TRANSFORMATION AND TRANSFORMATION AND TRANSFORMATION AND TRANSFORMATION **** OF TRANSFORMATION **** OF TRANSFORMATION		
13	And then checker claim the record	PASSED	1.855 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		
	# 0 And Foresterance		
14	Then click on the checker Notification	PASSED	1.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	363 963		
15	And select the Cheque record and Approve by checker	PASSED	11.963 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
	Time 8 Home 8		


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --





EXPANDED SECTION -- 16 --

