Cucumber Report

| Start : Feb 12, 2:09:47.489 PM	End : Feb 12, 2:11:22.449 PM	Duration : 1 m 34.960 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 18 FAILED - 1 SKIPPED - 3

Features: 1

Scenarios: 1

Steps: 22

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 81 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	1	0	1	0	1 m 34.960 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Create GRN for the generated PO No.s	22	18	1	3	1 m 34.954 s

(F)- Check the Functionality of Fixed Asset

| FAILED	DURATION - 1 m 34.960 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 2:09:47.489 PM // 2:11:22.449 PM /		Pass - 0	1	Pass - 18	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Create GRN for the generated PO No.s

FAILED	DURATION - 1 m 34.954 s		Steps	
/ 2:09:47.495 PM // 2:11:22.449 PM /			Total - 22	
			Pass - 18	22
Check the Functionality of Fixed Asset			Fail - 1	
@KUBS_FAT_UAT_001_004			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	13.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
2	Then Click on the Finance	PASSED	0.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on the Direction	PASSED	0.370 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
4	Then Click on Accounts Payable	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.451 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
6	Then Click on Add button	PASSED	0.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Fill the form for GRN	PASSED	1.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
8	Then Click on save button to save the record	PASSED	4.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
9	Then Click on notification & open record which we created for GRN	PASSED	4.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
10	Then Click on Item Details Tab	PASSED	0.712 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Select PO Number	PASSED	5.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
12	Then Add qty received qty approved	PASSED	1.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
13	Then Click on GRN item save button	PASSED	12.539 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
14	Then Click on the Notification	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	Then Select the record which we saved	PASSED	0.868 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
16	Then Submit record	PASSED	10.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
17	Then Open the Reviewer account	PASSED	12.051 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
18	Then Click on the Notification	PASSED	0.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then Approve the record which we submitted from maker	FAILED	18.932 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-ghh-c290="" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (723, 459). Other element would receive the click: <ion-col _ngcontent-ghh-c290="" size-lg="12" size-md="12" size-sm="12" size="12" ng-reflect-size="12" class="md hydrated" style="flex: 0 0 calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%);">...</ion-col> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [035e6405d914af49d3a88474ed1039a4, clickElement {id=a36eb29f-1aa9-4fba-be2e-1e1d564172ba}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52012}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52012/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (035e6405d914af49d3a88474ed1039a4)] -> xpath: //ion-button[contains(text(),'Submit')]] Session ID: 035e6405d914af49d3a88474ed1039a4
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.FixedAsset.approve_the_record_which_we_submitted_from_maker(FixedAsset.java:276)
	    at ?.Approve the record which we submitted from maker(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/		

#	Step / Hook Details	Status	Duration
	features/FixedAsset.feature:51) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.094 s
20	Then Go to Checker login	SKIPPED	0.000 s
21	Then Clam record	SKIPPED	0.001 s
22	Then Click on the notification and approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create GRN for the generated PO No. s	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create GRN for the generated PO No. s	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

☰ 🌐 Kastle Universal Banking (Beta)	04-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ⌨ 👤 ANANT

Finance

🔧   ⬍   📋

› General ledger transaction
› Budget
⌄ Accounts payable

▶ Vendor contracts ✎ 👁 🗑
▶ Vendor purchase orders ✎ 👁 🗑
▶ **Goods received note (GRN)** ✎ 👁 🗑
▶ Invoice booking ✎ 👁 🗑
▶ Payment settlement ✎ 👁 🗑
▶ Payment settlement cancellation ✎ 👁 🗑

22 Appro... ✖   11 Messa... ✖

GRN Item Details   ⓘ ViewSummary   ➤ Submit   ❌ Cancel 💾

* Po Number
3-Agency-8-PO-3   ▾

1 total   ▌GrnItemHdr created successfully.

⣿ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

☰ 🌐 Kastle Universal Banking (Beta)	04-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ⌨ 👤 ANANT

Finance

🔧   ⬍   📋

› General ledger transaction
› Budget
⌄ Accounts payable

▶ Vendor contracts ✎ 👁 🗑
▶ Vendor purchase orders ✎ 👁 🗑
▶ **Goods received note (GRN)** ✎ 👁 🗑
▶ Invoice booking ✎ 👁 🗑
▶ Payment settlement ✎ 👁 🗑
▶ Payment settlement cancellation ✎ 👁 🗑

22 Appro... ✖   11 Messa... ✖

GRN Item Details   ⓘ ViewSummary   ➤ Submit   ❌ Cancel 💾
← Inbox

* Po Number
Actions
3-Agency-8-PO-3   ▾

No data to display

0 total

1 total

⣿ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset