Cucumber Report

| Start : Jan 17, 11:31:57.804 am	End : Jan 17, 11:32:23.751 am	Duration : 25.947 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 1

Steps: 19

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 63 %

#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	25.947 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	System should follow the flow as Reviewer record approve view in Notification	19	12	1	6	25.941 s

(F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 25.947 s	Scenarios		Steps	
/ 11:31:57.804 am // 11:32:23.751 am /		Total - 1	1	Total - 19	19
		Pass - 0		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

## (S)- System should follow the flow as Reviewer record approve view in Notification

FAILED	DURATION - 25.941 s		Steps	
/ 11:31:57.810 am // 11:32:23.751 am /			Total - 19	19
Check Budget Request and Allocation feature module			Pass - 12	
@KUBS_Reviewer_Approve_Notification_BP_BC-_05_02			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	12.606 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
2	Then Click Transfer Icon	PASSED	0.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on Budget Module	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
4	Then Click on Budget Sub module Near Eye Icon	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
5	And Click on Add icon in Request and Allocation	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
6	Then New Budget Code	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And Select Current Budget Year	PASSED	0.551 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
8	Then Click on Branch	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
9	And choose Branch	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
10	Then Click on Branch ok button	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Choose one currency	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
12	And Enter Amount which Budget Type Show in budget type	PASSED	4.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
13	And click on save button	FAILED	1.149 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-backdrop class="sc-ion-alert-md md hydrated" tabindex="-1" aria-hidden="true" style=""></ion-backdrop> (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e2195429b43d9b4c6e7ea62d881611e, clickElement {id=3e43e8e9-8861-408d-9f04-7b5e9ac3ce3e}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56546}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56546/devtoo..., se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3e2195429b43d9b4c6e7ea62d881611e)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 3e2195429b43d9b4c6e7ea62d881611e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.KUBS_RequestandAllocation.click_on_save_button(KUBS_RequestandAllocation.java:127) at ?.click on save button(file:///C:/Users/inindc00075/eclipse-workspace/AzentioFramework/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetRequestandAllocation.feature:47) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.141 s
14	Then Click on Maker Notification button	SKIPPED	0.000 s
15	And Click on Record submit	SKIPPED	0.000 s
16	Given Navigate the Azentio Url login as Reviewer	SKIPPED	0.001 s
17	Then Capture to Notification icon	SKIPPED	0.000 s
18	And Click the referance action icon	SKIPPED	0.000 s
19	Then Approve the record and get the Notification	SKIPPED	0.001 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should follow the flow as Reviewer record approve view in Notification	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should follow the flow as Reviewer record approve view in Notification	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should follow the flow as Reviewer record approve view in Notification	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should follow the flow as Reviewer record approve view in Notification	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should follow the flow as Reviewer record approve view in Notification	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should follow the flow as Reviewer record approve view in Notification	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should follow the flow as Reviewer record approve view in Notification

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should follow the flow as Reviewer record approve view in Notification

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should follow the flow as Reviewer record approve view in Notification	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should follow the flow as Reviewer record approve view in Notification	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System should follow the flow as Reviewer record approve view in Notification (F) Check Budget Request and Allocation feature module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) System should follow the flow as Reviewer record approve view in Notification (F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should follow the flow as Reviewer record approve view in Notification

(F) Check Budget Request and Allocation feature module