Cucumber Report

| Start : May 04, 11:01:47.572 AM	End : May 04, 11:02:14.115 AM	Duration : 26.543 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 5

Features

1

Pass %: 0 %

Scenarios

1

Pass %: 0 %

Steps

14

Pass %: 57 %

#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	26.543 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	Check system displays correct sum and records in below head as per logics given in FSD.	14	8	1	5	26.537 s

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 26.543 s	Scenarios		Steps	
/ 11:01:47.572 AM // 11:02:14.115 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 14 Pass - 8 Fail - 1 Skip - 5	14

(S)- Check system displays correct sum and records in below head as per logics given in FSD.

FAILED	DURATION - 26.537 s		Steps	
/ 11:01:47.578 AM // 11:02:14.115 AM /			Total - 14 Pass - 8 Fail - 1 Skip - 5	14
testing the fuctionalities of bank reconciliation module				
@KUBS_TAX_UAT_011_001TC_002				

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	13.984 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
2	And user click bank recon module	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user click eye icon in bank recon module	PASSED	0.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	screenshot		
4	And user click add icon in bank recon	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
5	And user select bank name in bank recon Module for csv file	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
6	And user select bank account Number in bank recon Module	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user click bank recon from date and select the date for csv file	PASSED	1.695 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
8	And user click bank recon to date and select the date for csv file	PASSED	1.431 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.488 s
	screenshot		
9	And user click choose file and upload the bank statement for csv	FAILED	0.072 s

	org.openqa.selenium.InvalidArgumentException: invalid argument: File not found : C:\Users\inindc00077\Desktop\CANA_R19.csv (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ef522ab3eb3ef05fcb90d46bbde79db4, sendKeysToElement {id=d72dfa66-d43f-4631-827a-ea4ade193a82, value=[Ljava.lang. CharSequence;@66298fe9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50367}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50367/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ef522ab3eb3ef05fcb90d46bbde79db4)] -> xpath: //input[@type='file']] Session ID: ef522ab3eb3ef05fcb90d46bbde79db4
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.Bank_ReconModule.user_click_choose_file_and_upload_the_bank_statement_for_csv(Bank_ReconModule.java:259) at ?.user click choose file and upload the bank statement for csv(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:73) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.615 s
10	And user click save button in bank recon	SKIPPED	0.000 s
11	And user click process button in bank recon	SKIPPED	0.000 s
12	And user click the unmatched data in bank recon process	SKIPPED	0.000 s
13	Then user verify Receipt recorded in Book but missing in Bank Statement	SKIPPED	0.000 s
14	Then user verify Receipts recorded in bank statement but missing in Book	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check system displays correct sum and records in below head as per logics given in FSD.	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check system displays correct sum and records in below head as per logics given in FSD.	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check system displays correct sum and records in below head as per logics given in FSD.

(F) testing the fuctionalities of bank reconciliation module

Actions		Branch Code - Name	Legal Entity Branch	Bank Name	Account Number	Account Type	Period From	Period To
👁 ✏		AZENTMAIN - Azentio M	3	65	21	1105512	25-Feb-2023	26-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	60	16	1105512	25-Feb-2023	26-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	60	16	1105512	23-Feb-2023	24-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	65	21	1105512	21-Feb-2023	22-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	61	17	1105512	23-Feb-2023	24-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	65	21	1105512	19-Feb-2023	20-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	65	21	1105512	17-Feb-2023	18-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	64	20	1105513	17-Feb-2023	18-Feb-2023

12 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check system displays correct sum and records in below head as per logics given in FSD.

(F) testing the fuctionalities of bank reconciliation module

Actions		Branch Code - Name	Legal Entity Branch	Bank Name	Account Number	Account Type	Period From	Period To
👁 ✏		AZENTMAIN - Azentio M	3	65	21	1105512	25-Feb-2023	26-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	60	16	1105512	25-Feb-2023	26-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	60	16	1105512	23-Feb-2023	24-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	65	21	1105512	21-Feb-2023	22-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	61	17	1105512	23-Feb-2023	24-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	65	21	1105512	19-Feb-2023	20-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	65	21	1105512	17-Feb-2023	18-Feb-2023
👁 ✏		AZENTMAIN - Azentio M	3	64	20	1105513	17-Feb-2023	18-Feb-2023

12 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check system displays correct sum and records in below head as per logics given in FSD.

(F) testing the fuctionalities of bank reconciliation module

≡ 🌐 Kastle Universal Banking (Beta)	20-Mar-2023 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔	🧑 ANANT

Finance

← Bank Reconciliation Details 💾 PROCESS

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management
Petty cash
Bank recon
Bank reconcilliation ✏️ 👁 🗑

* Legal Entity Branch: AZENTMAIN-Azentio Main Branch ✕ ▾
* Bank Name: Canara Bank ✕ ▾
* Account Number: ▾
* Account Type: ▾
* Account Currency: ▾
*Recon Period From: 📅
*Recon Period To: 📅
Upload File: Choose File No file chosen
File Name *
Closing Balance As Per Bank Statement *
Bank GL Balance *
Recon Date

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check system displays correct sum and records in below head as per logics given in FSD.

(F) testing the fuctionalities of bank reconciliation module

≡ 🌐 Kastle Universal Banking (Beta)	20-Mar-2023 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔	🧑 ANANT

Finance

← Bank Reconciliation Details 💾 PROCESS

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management
Petty cash
Bank recon
Bank reconcilliation ✏️ 👁 🗑

* Legal Entity Branch: AZENTMAIN-Azentio Main Branch ✕ ▾
* Bank Name: Canara Bank ✕ ▾
* Account Number: 0472000100478 ✕ ▾
* Account Type: SAVINGS ACCOUNT ▾
* Account Currency: INR ▾
*Recon Period From: 📅
*Recon Period To: 📅
Upload File: Choose File No file chosen
File Name *
Closing Balance As Per Bank Statement *
Bank GL Balance *
Recon Date

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check system displays correct sum and records in below head as per logics given in FSD.

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check system displays correct sum and records in below head as per logics given in FSD.

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check system displays correct sum and records in below head as per logics given in FSD.

(F) testing the fuctionalities of bank reconciliation module