Cucumber Report

| Start : Feb 02, 10:37:11.078 AM	End : Feb 02, 11:08:44.659 AM	Duration : 31 m 33.581 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 4

Features: 1

Scenarios: 1

Steps: 12

Pass %

0 %

Pass %

0 %

Pass %

58 %

#	Feature Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	1	0	1	0	31 m 33.581 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	Check Asset GL	12	7	1	4	31 m 33.574 s

(F)- To verify the reports for fixed asset

| FAILED	DURATION - 31 m 33.581 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 10:37:11.078 AM // 11:08:44.659 AM /		Pass - 0	1	Pass - 7	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- Check Asset GL

FAILED	DURATION - 31 m 33.574 s		Steps	
/ 10:37:11.085 AM // 11:08:44.659 AM /			Total - 12	
To verify the reports for fixed asset			Pass - 7	12
@KUBS_FAT_UAT_013_005_AssetGl			Fail - 1	
			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	31.815 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.886 s
	screenshot		
2	Then click on report segment button	PASSED	2.671 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click on equiry menu	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
4	Then click on edit icon near by fiancial transaction menu	PASSED	1.521 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.487 s
	screenshot		
5	And choose branch code	PASSED	0.537 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
6	And choose GI code	PASSED	0.573 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
7	And click on transaction from date calender icon	PASSED	0.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.419 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then choose the from date	FAILED	30 m 27.835 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//button[@type='button'])[1]"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [ccfa6a14aa7fa0477a3efa793b8a05a2, findElement {using=xpath, value=(//button[@type='button'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55364}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55364/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ccfa6a14aa7fa0477a3efa793b8a05a2
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.FixedAsset_Reports.choose_the_from_date(FixedAsset_Reports.java:616)
	  at ?.choose the from date(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports.feature:179)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.524 s
	screenshot		

#	Step / Hook Details	Status	Duration
9	And click on the transaction to date calender icon	SKIPPED	0.000 s
10	Then choose the to date	SKIPPED	0.000 s
11	And click on view button	SKIPPED	0.000 s
12	Then validate voucher number	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Asset GL

(F) To verify the reports for fixed asset