Cucumber Report

Start : May 17, 12:45:00.654 PM	**End : May 17, 12:45:38.880 PM**	**Duration : 38.226 s**
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 8 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 moduyle	1	1	0	0	38.226 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 moduyle	System should display the balancesheet report	8	8	0	0	38.220 s

## (F)- To verify user can able to do transaction in gl2 moduyle

PASSED	DURATION - 38.226 s	Scenarios		Steps	
/ 12:45:00.654 PM // 12:45:38.880 PM /		Total - 1		Total - 8	
		Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- System should display the balancesheet report

| PASSED	DURATION - 38.220 s		Steps	
/ 12:45:00.660 PM // 12:45:38.880 PM /			Total - 8	
To verify user can able to do transaction in gl2 moduyle			Pass - 8	8
			Fail - 0	
@GL2 @KUBS_GL2_UAT_008_011 @MultiAuth			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	15.852 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.765 s
	screenshot		
2	Then click on report segment button	PASSED	1.925 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Financial reporting button	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
4	Then click on balancesheet report	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
5	Then fill the input fields of balancesheet report	PASSED	0.732 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
6	Then Select Transaction from date Financial Transaction Report	PASSED	1.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And click view button of report	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		
8	Then verify the Record available in the report	PASSED	5.452 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) To verify user can able to do transaction in gl2 moduyle	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) To verify user can able to do transaction in gl2 moduyle	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the balancesheet report

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System should display the balancesheet report

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) To verify user can able to do transaction in gl2 moduyle	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) To verify user can able to do transaction in gl2 moduyle	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) To verify user can able to do transaction in gl2 moduyle	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) To verify user can able to do transaction in gl2 moduyle	