Cucumber Report

15-Dec-2022, 11:57:44 am

Start : Dec 15, 11:56:46.386 am	End : Dec 15, 11:57:40.671 am	Duration : 54.285 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 15 FAILED - 1 SKIPPED - 1









#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	54.285 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify Accounts Payable Report post payout approval (Payout for multiple bills)	17	15	1	1	54.279 s

(F)- AR_AP Module

FAILED	DURATION - 54.285 s	Scenarios		Steps	
/ 11:56:46.386 am // 11:57:40.671 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 17 Pass - 15 Fail - 1 Skip - 1	

(S)- Verify Accounts Payable Report post payout approval (Payout for multiple bills)

FAILED	DURATION - 54.279 s		Steps	
/ 11:56:46.392 am // 11:57:40.671 am /			Total - 17 Pass - 15 Fail - 1 Skip - 1	
AR_AP Module				
@AR/AP @KUBS_AR_AP_UAT_006_001_TC_04				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	31.810 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.534 s
	screenshot		
	+		
2	And click on accounts Payable module	PASSED	2.679 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	When click on eye button of manual payout	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.715 s
	screenshot		
	 +		
4	Then click on search	PASSED	1.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
	 +		
5	And user update the Excelsheet Testdata for Account payable post payout	PASSED	0.031 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
	 +		
6	And search the multiple bill payout approved reference number	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
	 +		
7	And click on that record	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And get the invoice number	PASSED	0.448 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
			
9	Then click on report segment button	PASSED	1.915 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
			
10	And click on report main menu	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			
11	And click on accouts payable report	PASSED	0.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And enter businessPartner name for multiple record	PASSED	0.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
			
13	And click on date icon	PASSED	0.509 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
14	And give date in report	PASSED	0.512 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
			
15	And give status of the settlement record	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And click on the view button Step undefined	FAILED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.206 s
17	Then verify the approved invoice reference number are available in the payable report	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)

(F) AR_AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Payable Report post payout approval (Payout for multiple bills)	
(F) AR_AP Module	