Cucumber Report

| Start : Dec 23, 1:55:38.376 PM	End : Dec 23, 1:57:27.416 PM	Duration : 1 m 49.040 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 3

Features: 1

Scenarios: 1

Steps: 17

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 76 %

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 49.040 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	17	13	1	3	1 m 49.033 s

(F)- AR/AP Module

| FAILED	DURATION - 1 m 49.040 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 1:55:38.376 PM // 1:57:27.416 PM /		Pass - 0	1	Pass - 13	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

FAILED	DURATION - 1 m 49.033 s		Steps	
/ 1:55:38.383 PM // 1:57:27.416 PM /			Total - 17	
AR/AP Module			Pass - 13	17
@AR/AP			Fail - 1	
@KUBS_AR_AP_UAT_004_007_TC_01a			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 5.557 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.984 s
	screenshot		
2	Then select data set ID for advance to employee is adjusted against the selected bill	PASSED	2.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.773 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Choose the second Tab Segment	PASSED	2.975 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.629 s
	screenshot 		
4	And Click On Main module Accounts Receivable	PASSED	0.630 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.502 s
	screenshot 		
5	Then Click on Accounts Receive Advances Eye Icon	PASSED	1.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.229 s
	screenshot 		
6	And Click Add icon button	PASSED	0.848 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.810 s
	screenshot 		

| #	Step / Hook Details	Status	Duration
7	Then Enter the Receivable Name as Advance to employee	PASSED	1.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
8	And Enter Business partner Value For Employee	PASSED	1.419 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot		
9	And Enter Payment mode	PASSED	0.882 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot		
10	Then Enter Amount value	PASSED	0.546 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
11	And Choose Needed Currancy	PASSED	0.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	Then Choose cost center	PASSED	0.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot 		
13	And Enter Description value	PASSED	0.414 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot 		
14	Then Save the Advance Record	FAILED	1.365 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1255, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.217', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [10a7e7c38a8a9ea5f7576c1c267556f0, clickElement {id=1fe72c9f-391d-4a3c-a8a7-0ba5f06600f3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51548}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51548/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (10a7e7c38a8a9ea5f7576c1c267556f0)] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 10a7e7c38a8a9ea5f7576c1c267556f0
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_ApprovingBillsByEmployee.save_the_advance_record(ARAP_ApprovingBillsByEmployee.java:165) at ?.Save the Advance Record(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:631) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.515 s
15	Then Goto The Notification Icon	SKIPPED	0.000 s
16	And Store the Referance Id and Open the adjusted Record	SKIPPED	0.000 s
17	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

Panel 1

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

AZENTIO ONEBanking

18-Jan-2023   English   Azentio Software   (AZENTMAIN)   ANANT

← Advaces

- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
  - Accounts receivable (Debit notes)
  - Credit notes on invoice
  - **Accounts receivable (Advances)**
  - Receipts
  - Receipts reversals

22 Appro...   11 Mess...

* Entity Branch: Azentio Main Branch
* Receivable Name: Advance To Employee
Business Partner/Employee Name

Adavace Number
*Date: 18-Jan-2023
Po Number

* Payment Mode: Cheque
* Amount
Cost Center

* Description
* Status: Active

Panel 2

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

AZENTIO ONEBanking

18-Jan-2023   English   Azentio Software   (AZENTMAIN)   ANANT

← Advaces

- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
  - Accounts receivable (Debit notes)
  - Credit notes on invoice
  - **Accounts receivable (Advances)**
  - Receipts
  - Receipts reversals

22 Appro...   11 Mess...

* Entity Branch: Azentio Main Branch
* Receivable Name: Advance To Employee
Business Partner/Employee Name

Adavace Number
*Date: 18-Jan-2023
Po Number

* Payment Mode: Cheque
* Amount
Cost Center

* Description
* Status: Active

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

AZENTIO
ONEBanking

18-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)

Credit notes on invoice

Accounts receivable (Advances)

Receipts

Receipts reversals

22 Appro...   11 Mess...

← Advaces

| * Entity Branch | * Receivable Name | Business Partner/Employee Name |
| Azentio Main Branch × ▼ | Advance To Employee × ▼ | ▼ |

| Adavace Number | *Date 18-Jan-2023 📅 | Po Number ▼ |

| * Payment Mode | * Amount | * | Cost Center |
| Cheque × ▼ | INR × ▼ | FINANCE × ▼ |

| * Description Advance | * Status Active ▼ |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) AR/AP Module

AZENTIO
ONEBanking

18-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)

Credit notes on invoice

Accounts receivable (Advances)

Receipts

Receipts reversals

22 Appro...   11 Mess...

← Advaces

| * Entity Branch | * Receivable Name | Business Partner/Employee Name |
| Azentio Main Branch × ▼ | Advance To Employee × ▼ | ▼ |

| Adavace Number | *Date 18-Jan-2023 📅 | Po Number ▼ |

| * Payment Mode | * Amount | * | Cost Center |
| Cheque × ▼ | INR × ▼ | FINANCE × ▼ |

| * Description Advance | * Status Active ▼ |