Cucumber Report

Start : Mar 24, 4:55:34.683 pm	End : Mar 24, 4:56:02.479 pm	Duration : 27.796 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 19

Features: 1

Scenarios: 1

Steps: 32

Pass %: 0 %

Pass %: 0 %

Pass %: 37 %

#	Feature Name	T	P	F	S	Duration
1	*Check the Functionality of the GL2 Module*	*1*	*0*	*1*	*0*	*27.796 s*

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	Create a category for the accounting type based on the base accounting book for Income	32	12	1	19	27.790 s

(F)- Check the Functionality of the GL2 Module

| FAILED	DURATION - 27.796 s	Scenarios		Steps	
		Total - 1		Total - 32	
/ 4:55:34.683 pm // 4:56:02.479 pm /		Pass - 0	1	Pass - 12	32
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 19	

## (S)- Create a category for the accounting type based on the base accounting book for Income

FAILED	DURATION - 27.790 s		Steps	
			Total - 32	
/ 4:55:34.689 pm // 4:56:02.479 pm /			Pass - 12	32
Check the Functionality of the GL2 Module			Fail - 1	
@KUBS_GL_UAT_003_003			Skip - 19	

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	13.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
2	And Click on Accounting Setup module	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click sub module Accounting book definition	PASSED	0.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
4	And Click On Search Icon	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
5	When Give the type as Base Template	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
6	And Get the Account Book Name	PASSED	0.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then click sub module Accounting Category	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot 		
8	And Click on Add icon	PASSED	0.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot 		
9	And enter the category code as Income	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot 		
10	And select the accounting book for Income	PASSED	0.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And enter the accounting category	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
12	And select Gl code generation	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
13	And Save the Record	FAILED	1.216 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <div class="ng-tns-c135-1 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" toast-component="" style="opacity: 1;">...</div> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [516bf32338d5e0e7f15e2c25167b78e2, clickElement {id=2b4a5056-38cf-47c1-9f57-e706c969d917}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64072}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64072/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (516bf32338d5e0e7f15e2c25167b78e2)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 516bf32338d5e0e7f15e2c25167b78e2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.GL1_Accounting_Book_Definition.save_the_record(GL1_Accounting_Book_Definition.java:138) at ?.Save the Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL1_Accounting_Setup.feature:122) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.174 s
14	Then Goto The Notification Icon	SKIPPED	0.000 s
15	And Store the Referance Id and Open the Record	SKIPPED	0.001 s
16	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
17	Given Navigate as a Reviewer	SKIPPED	0.000 s
18	Then click on Notify icon	SKIPPED	0.001 s
19	And Click First record Action icon	SKIPPED	0.000 s
20	Then Approve the record in Reviewer	SKIPPED	0.001 s
21	And Give Remark and Submit	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	Given Navigate as a Checker	SKIPPED	0.001 s
23	Then Click module security management	SKIPPED	0.000 s
24	And Claim the Record in Checker	SKIPPED	0.001 s
25	Then Goto the Checker notification Icon	SKIPPED	0.000 s
26	And Click the First Action Icon	SKIPPED	0.001 s
27	Then Approve the Record in checker stage	SKIPPED	0.000 s
28	And Give the Remark and Submit it	SKIPPED	0.000 s
29	Given Navigate to Azentio Kubs	SKIPPED	0.001 s
30	And Click on Accounting Setup module	SKIPPED	0.000 s
31	Then click sub module Accounting Category	SKIPPED	0.000 s
32	Then Click on Table Row First Eye Icon	SKIPPED	0.001 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a category for the accounting type based on the base accounting book for Income	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a category for the accounting type based on the base accounting book for Income	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Income

(F) Check the Functionality of the GL2 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Income

(F) Check the Functionality of the GL2 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Income

(F) Check the Functionality of the GL2 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Income

(F) Check the Functionality of the GL2 Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL2
Module

Actions		Legal Entity Name	Category Code	Accounting Category	Accounting Book	Template Type	Txn Date	Status
👁 ✏		Azentio Software	INCOME	Income	Modify_00	Base Template	22-Mar-2022	Active
👁 ✏		Azentio Software	EXPENDITURE2	Expenditure2	Modify_00	Base Template	22-Mar-2022	Active
👁 ✏		Azentio Software	EXPENDITURE2	Expenditure2	Testing_05	Base Template	21-Mar-2022	Active
👁 ✏		Azentio Software	TESTD6	testd6	Modify_00	Base Template	21-Mar-2022	Active
👁 ✏		Azentio Software	ASSET15	ASSET15	Testing02	CUSTOM_TEMPLATE	21-Mar-2022	Active
👁 ✏		Azentio Software	ASSET14	ASSET14	Testing02	CUSTOM_TEMPLATE	21-Mar-2022	Active
👁 ✏		Azentio Software	ASSET13	ASSET13	Testing02	CUSTOM_TEMPLATE	21-Mar-2022	Active
👁 ✏		Azentio Software	INCOME	income1	aCC BOOK	Base Template	21-Mar-2022	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL2
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL2
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL2
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a category for the accounting type based on the base accounting book for Income	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a category for the accounting type based on the base accounting book for Income	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a category for the accounting type based on the base accounting book for Income

(F) Check the Functionality of the GL2 Module