Cucumber Report

| Start : Mar 21, 11:49:36.117 am	End : Mar 21, 11:49:57.989 am	Duration : 21.872 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 22

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	21.872 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	Create an accounting base templet for accounting book for legal entity	30	7	1	22	21.866 s

(F)- Check the Functionality of the GL2 Module

| FAILED	DURATION - 21.872 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 11:49:36.117 am // 11:49:57.989 am /		Pass - 0	1	Pass - 7	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 22	

(S)- Create an accounting base templet for accounting book for legal entity

FAILED	DURATION - 21.866 s		Steps	
			Total - 30	
/ 11:49:36.123 am // 11:49:57.989 am /			Pass - 7	30
Check the Functionality of the GL2 Module			Fail - 1	
@KUBS_GL_UAT_001_001			Skip - 22	

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	11.917 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
2	And Click on Accounting Setup module	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click sub module Accounting book definition	PASSED	0.455 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.304 s
4	And Click on Add icon	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.336 s
5	Then Choose the Template Type of Base Template	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.185 s
6	And Enter Book Name	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.187 s

| #	Step / Hook Details	Status	Duration
7	Then Select system date as Effective date	PASSED	1.599 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
8	And Choose the Book Type what you Need	FAILED	1.125 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input aria-autocomplete="list" type="text" autocorrect="off" autocapitalize="off" autocomplete="a9d5aba286f9"> is not clickable at point (479, 268). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8031107d2b37f1d2b9a8c04954e11abc, clickElement {id=5e6a2796-4738-4e77-be98-2187135e078f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60433}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60433/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8031107d2b37f1d2b9a8c04954e11abc)] -> xpath: //ion-col[6]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]] Session ID: 8031107d2b37f1d2b9a8c04954e11abc
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.GL2_Accounting_Book_Definition.choose_the_book_type_what_you_need(GL2_Accounting_Book_Definition.java:119) at ?.Choose the Book Type what you Need(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL2_Accounting_Setup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.148 s
9	Then Enter the Remark	SKIPPED	0.001 s
10	And Save the Record	SKIPPED	0.000 s
11	Then Goto The Notification Icon	SKIPPED	0.000 s
12	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
13	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
14	Given Navigate as a Reviewer	SKIPPED	0.001 s
15	Then click on Notify icon	SKIPPED	0.000 s
16	And Click First record Action icon	SKIPPED	0.000 s
17	Then Approve the record in Reviewer	SKIPPED	0.000 s
18	And Give Remark and Submit	SKIPPED	0.001 s
19	Given Navigate as a Checker	SKIPPED	0.000 s
20	Then Click module security management	SKIPPED	0.001 s
21	And Claim the Record in Checker	SKIPPED	0.000 s
22	Then Goto the Checker notification Icon	SKIPPED	0.000 s
23	And Click the First Action Icon	SKIPPED	0.001 s
24	Then Approve the Record in checker stage	SKIPPED	0.000 s
25	And Give the Remark and Submit it	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
26	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
27	And Click on Accounting Setup module	SKIPPED	0.000 s
28	Then Click sub module Accounting book definition	SKIPPED	0.000 s
29	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
30	And System should Generate unique code	SKIPPED	0.001 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

Actions		Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
👁 ✏		Azentio Software	Testing02	ACCBOOK-07	IFRS Book	CUSTOM_TEMPLATE	10-Nov-2022	1002435
👁 ✏		Azentio Software	Testing01	ACCBOOK-06	IFRS Book	Base Template	10-Nov-2022	1002435
👁 ✏		Azentio Software	ledger		GAAP	CUSTOM_TEMPLATE	18-Mar-2022	1002435
👁 ✏		Azentio Software	aCC BOOK	ACCBOOK-04	IFRS Book	Base Template	18-Mar-2022	1002435
👁 ✏		Azentio Software	Account_Base		IFRS Book	Base Template	17-Mar-2022	1002435
👁 ✏		Azentio Software	CUSTOM BOOK2	ACCBOOK-02	IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
👁 ✏		Azentio Software	CUSTOM BOOK		IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
👁 ✏		Azentio Software	Base_GAPP2	ACCT05	GAAP	Base Template	06-Dec-2021	le4maker

11 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create an accounting base templet for accounting book for legal entity

(F) Check the Functionality of the GL2 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create an accounting base templet for accounting book for legal entity

(F) Check the Functionality of the GL2 Module