Cucumber Report

Start : Jan 11, 12:30:27.184 PM	End : Jan 11, 12:31:36.526 PM	Duration : 1 m 9.342 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 8 FAILED - 0 SKIPPED - 0

| #	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	1	0	0	1 m 9.342 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify download file is auto created basis the defined time and user is allowed to download the file.	8	8	0	0	1 m 9.337 s

(F)- AR_AP Module

PASSED	DURATION - 1 m 9.342 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	8
/ 12:30:27.184 PM // 12:31:36.526 PM /					

(S)- Verify download file is auto created basis the defined time and user is allowed to download the file.

PASSED	DURATION - 1 m 9.337 s
/ 12:30:27.189 PM // 12:31:36.526 PM /	
AR_AP Module	
@blocker @KUBS_AR_AP_UAT_008_003_TC01 @AR/AP	

Steps
Total - 8
Pass - 8
Fail - 0
Skip - 0

8

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	35.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.907 s
	screenshot		
	+		
2	And click on arap configuration main menu	PASSED	0.833 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.373 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And click on payment file generation setup sub menu	PASSED	0.530 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.718 s
	screenshot		
4	And user update the Excel sheet testdata for online payments	PASSED	0.545 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		
5	And configure the file format as Payout wise	PASSED	1.349 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
6	And save the arap configure record	PASSED	1.918 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		
7	Then Click on Update Deposited Cheque Notification	PASSED	0.941 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.083 s
	screenshot		

| #	Step / Hook Details	Status	Duration
8	And Select and Submit the Update Deposited Cheque record1	PASSED	14.632 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify download file is auto created basis the defined time and user is allowed to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify download file is auto created
basis the defined time and user is allowed
to download the file.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify download file is auto created
basis the defined time and user is allowed
to download the file.

(F) AR_AP Module