Cucumber Report

03-Mar-2022, 5:36:30 pm

Start : Mar 03, 5:35:36.475 pm	End : Mar 03, 5:36:29.502 pm	Duration : 53.027 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 17 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	53.027 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify accounting entries post receipt recording	17	17	0	0	53.019 s

(F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 53.027 s	Scenarios		Steps	
/ 5:35:36.475 pm // 5:36:29.502 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 17 Pass - 17 Fail - 0 Skip - 0	

(S)- Verify accounting entries post receipt recording

PASSED	DURATION - 53.019 s		Steps	
/ 5:35:36.483 pm // 5:36:29.502 pm /			Total - 17 Pass - 17 Fail - 0 Skip - 0	
Check the Functionality of AR/AP Module				
@KUBS_AR_AP_UAT_010_001_TC_03				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.012 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot 		
2	Then Choose the second Tab Segment	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click On Main module Accounts Receivable	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
			
4	Then Click on the Receipt Eye Icon	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			
5	And Click On Search Icon	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
6	Then Click on Table Row First Eye Icon	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And Get The Txn Receipt Number	PASSED	0.043 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
8	Then Third Segment report Icon	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
			
9	And Choose Enquiry Module	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
10	Then Click Note iCon near by financial transction	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And choose branch code	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
			
12	And click on transaction from date in calender	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
13	Then Select from date in calender	PASSED	0.496 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
			
14	And click on transaction to date in calender icon	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then Select To date in calender	PASSED	0.782 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
			
16	And Click View HyperLink	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
			
17	Then Verify Accounting entries post receipt recording	PASSED	30.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Verify accounting entries post receipt recording

(F) Check the Functionality of AR/AP Module