Cucumber Report

| Start : Jan 17, 5:09:44.614 PM	End : Jan 17, 5:10:24.134 PM	Duration : 39.520 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 24 FAILED - 0 SKIPPED - 0

| #	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	39.520 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify checker can able to reject the budget code which is updated by reviewer	24	24	0	0	39.509 s

(F)- To check BudgetDefinition moduel feature

| PASSED	DURATION - 39.520 s	Scenarios		Steps	
		Total - 1		Total - 24	
/ 5:09:44.614 PM // 5:10:24.134 PM /		Pass - 1	1	Pass - 24	24
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To verify checker can able to reject the budget code which is updated by reviewer

PASSED	DURATION - 39.509 s		Steps	
/ 5:09:44.625 PM // 5:10:24.134 PM /			Total - 24	
To check BudgetDefinition moduel feature			Pass - 24	24
			Fail - 0	
@Updated_BudgetCode_Rejected_By_Reviewer			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	11.569 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.507 s
	screenshot		
4	Then search the budget code want to update	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
5	And select the budget code	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
6	And update the budget code	PASSED	3.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then update the budget type	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
8	Then update warning percentage	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
9	Then update budget name	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
10	Then update remark	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And click on save after update all the details	PASSED	3.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
12	Then Click on notification icon	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
13	And select the first record	PASSED	0.711 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
14	Then click on submit button	PASSED	0.714 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And enter remark in alert tab	PASSED	0.227 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
16	And click on submit	PASSED	0.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
17	When click on submit button save the reviewer id	PASSED	0.624 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
18	Given navigate to URL and login as a reviewer	PASSED	6.589 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then click on notification icon	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
20	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
21	And click on action button	PASSED	0.055 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
22	Then verify the updated budget record is matched with maker submited record	PASSED	1.063 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
23	And reject the record in reviewer stage	PASSED	0.057 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
24	Then enter remark then submit in reviewer stage	PASSED	1.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

≡   🌐   Kastle Universal Banking   21-Oct-2021   English ▾   Azentio Software ▾   (AZENT-MAIN) 🔔   🖥   👤 ANANT

Finance ▾

🛠   ⭲   ▯

Welcome, anant

⊙ Business partner setup
⊙ Accounting setup
⊙ General ledger configuration
⊙ Expense/AR & AP configurati…
⊙ Budget configuration
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

22 Appro... ✕   11 Messa... ✕

Home   ▶ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

≡   🌐   Kastle Universal Banking   21-Oct-2021   English ▾   Azentio Software ▾   (AZENT-MAIN) 🔔   🖥   👤 ANANT

Finance ▾

🛠   ⭲   ▯

Welcome, anant

⊙ Business partner setup
⊙ Accounting setup
⊙ General ledger configuration
⊙ Expense/AR & AP configurati…
⊙ Budget configuration
▶ Budget definition   🖉   👁
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

22 Appro... ✕   11 Messa... ✕

Home   ▶ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code which is updated by reviewer (F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code which is updated by reviewer (F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

≡ 🌐 Kastle Universal Banking	21-Oct-2021 English ⌄	Azentio Software ⌄	(AZENT-MAIN) 🔔 💬 👤 ANANT

Finance

🔧 ⬛ 📋

⟳ Business partner setup
⟳ Accounting setup
⟳ General ledger configuration
⟳ Expense/AR & AP configurati...
⟳ Budget configuration
▶ **Budget definition** ✏ 👁
⟳ Fixed assets configuration
⟳ Inventory maintenance
⟳ Bank recon
⟳ Petty cash configuration

← Budget Definition

✓ Record APPROVED Successfully, and Current Stage is REVIEWER with status PENDING from 12345.

* Budget Code	* Budget Type	* Warning Percentage
BUDG811	YEARLY ✕ ⌄	20

* Budget Name	Remark	Status
Office Expense	Budget Code Updated	ACTIVE ✕ ⌄

22 Appro... ✕   11 Messa... ✕

⠿ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

≡ 🌐 Kastle Universal Banking	21-Oct-2021 English ⌄	⌄ (AZENT-MAIN) 🔔 💬 👤 SARVESH

No Module Mapped

🔧 ⬛ 📋

Welcome, SARVESH

22 Appro... ✕   11 Messa... ✕

⠿ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code which is updated by reviewer (F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code which is updated by reviewer (F) To check BudgetDefinition moduel feature	