


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	3 m 31.641 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Balance sheet post Bill is approved.	14	14	0	0	3 m 31.633 s

DETAILED SECTION -- 4

## (F)- AR/AP Module

PASSED	DURATION - 3 m 31.641 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 1:09:52.739 PM	1 // 1:13:24.380 PM /	Pass - 1	1	Pass - 14	14
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **(S)-** Verify Balance sheet post Bill is approved.

PASSED	DURATION - 3 m 31.633 s						-							1	-			Steps			
/ 1:09:52.747	7 PM // 1:13:24.380 PM /	150	1		7				-			-,	-			7	7 -	Total - 14			
7 1.00.0211 11		100	1	ı						-	-		1	-				Pass - 14		14	A
AR/AP Modul	e	50	#	ı		-												Fail - 0			,
@AR/AP @K	UBS_AR/AP_UAT_001_003_TC_03	0	-  -	<u> </u>	<u>+</u>	<del></del>	<del></del>	<del></del>	<u> </u>		<del></del>	<del></del>	+	<u> </u>	<del>+</del> -	<del>+</del> -		Skip - 0	\ <b>\</b>		
				1	2	3	4	5	6	7	8	9	10	11	12	13	14				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	3 m 1.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.462 s
	screenshot		
	THE STATE OF THE S		
2	And user should navigate to accounts payable menu	PASSED	3.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
	TARRY WENT TOPS - AND		


When click on eye button of invoice booking	#	Step / Hook Details	Status	Duration
screenshot  And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Soreenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.430 s  PASSED  O.430 s  PASSED  O.452 s  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.475 s  O.485 s	3	When click on eye button of invoice booking	PASSED	1.483 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefi		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.117 s
4 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario)  screenshot  And Update the data set id for Balance sheet Report b4  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.447 s  PASSED  O.543 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.430 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Update the data set id for Balance sheet Report b4  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And Search invoice type as expense  And search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 Ard search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 Ard search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 Ard search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 Ard search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  6 And search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.433 S  0.447 s  0.433 S  0.543 S  0.5				
screenshot  And Update the data set id for Balance sheet Report b4  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.875 s	4	And Click On Search Icon	PASSED	0.792 s
And Update the data set id for Balance sheet Report b4  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  Screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  PASSED  O.430 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  6 And search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.543 s  0.430 s  PASSED  0.262 s  0.262 s  0.168 s  PASSED  0.168 s  PASSED  0.168 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  6 And search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.543 s  0.430 s  PASSED  0.262 s  0.262 s  0.168 s  PASSED  0.168 s  PASSED  0.168 s		### ADMINISTRATION OF THE PROPERTY OF THE PROP		
screenshot  And search invoice type as expense  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.168 s  PASSED  0.875 s	5	And Update the data set id for Balance sheet Report b4	PASSED	0.447 s
And search invoice type as expense  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s  PASSED  0.168 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.543 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.262 s  0.168 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  0.262 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.262 s  0.168 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  0.262 s		Section   Sect		
Screenshot   Scr	6	And search invoice type as expense	PASSED	0.430 s
7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.875 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
7 Then Click on Table Row First Eye Icon in ARAP  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s  0.875 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.875 s		### A PARTY   WANTED State   Control of the Control		
	7	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.168 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.875 s
		screenshot		

#	Step / Hook Details	Status	Duration
	*** Part		
8	And get the buisness partner name and invoice number from the bill viewed	PASSED	1.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	### ASSETTION  ***PASSET**   \$PASSET**   \$		
9	Then Third Segment report Icon	PASSED	0.829 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
10	And click the financial reporting	PASSED	0.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
	### ADMINISTRATION OF THE PROPERTY OF THE PROP		
11	And click the balance sheet report	PASSED	0.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
	SECULD STATE OF THE PROPERTY O		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
12	Then Fill the details for Balance sheet report	PASSED	2.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
	screenshot		
	Company   Comp		
13	Then Click on View buttons	PASSED	3.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.461 s
	screenshot		
	ACENTO  WHOSE light - Anniholog - Anniholo		
14	Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries	PASSED	1.684 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		
	AZENTO  Description  Note: The control of the contr		


EXPANDED SECTION -- 8 --




EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION --- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

