Cucumber Report

Feb 5, 2022, 8:16:48 PM

Start : Feb 05, 8:15:16.802 PM	End : Feb 05, 8:16:45.227 PM	Duration : 1 m 28.425 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 21 FAILED - 0 SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	INVENTORY MANAGEMENT	1	1	0	0	1 m 28.425 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	INVENTORY MANAGEMENT	Purchase	21	21	0	0	1 m 28.421 s

(F)- INVENTORY MANAGEMENT

PASSED	DURATION - 1 m 28.425 s	Scenarios		Steps	
/ 8:15:16.802 PM // 8:16:45.227 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 21 Pass - 21 Fail - 0 Skip - 0	

(S)- Purchase

PASSED	DURATION - 1 m 28.421 s		Steps	
/ 8:15:16.806 PM // 8:16:45.227 PM /			Total - 21 Pass - 21 Fail - 0 Skip - 0	
INVENTORY MANAGEMENT				
@PurchseReqConf_KUBS_INV_MGMT_UAT_001-_002				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	17.959 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.276 s
	screenshot 		
2	And user should navigate to inventory management	PASSED	0.686 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of purchase requisition confirmation	PASSED	0.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.572 s
	screenshot		
			
4	And click on add button of purchase requisition confirmation	PASSED	0.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.533 s
	screenshot		
			
5	And Fill the required fields to purchase req	PASSED	0.502 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.665 s
	screenshot		
			
6	Then Save and submit the purchase req confirmation	PASSED	8.522 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And User should go to the kubs url and login as a reviewer user	PASSED	10.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		
			
8	Then Click on notification button in reviewer	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
	screenshot		
			
9	And approve the record by reviewer user	PASSED	4.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			
10	Given User should go to the kubs url and login as a checker user	PASSED	5.869 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And Click on security management in checker	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
			
12	Then Click on open pool in checker	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
13	And Click on claim button in checker	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.411 s
	screenshot		
			
14	And capture claimed status	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then click on notification in checker	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.507 s
	screenshot		
			
16	Then checker should approved the contract record	PASSED	6.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
17	Given User should go to the kubs url and login as a maker user	PASSED	6.866 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
			
18	And user should navigate to inventory management	PASSED	0.749 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	When click on eye button of purchase requisition confirmation	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
			
20	Then click on first eye button to get the indent reference number	PASSED	2.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
			
21	And maker should logout	PASSED	0.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Purchase	
(F) INVENTORY MANAGEMENT	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Purchase	
(F) INVENTORY MANAGEMENT	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Purchase	
(F) INVENTORY MANAGEMENT	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Purchase	
(F) INVENTORY MANAGEMENT	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Purchase	
(F) INVENTORY MANAGEMENT	