

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	38.843 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	11	5	1	5	38.838 s
		Purchases					

(F)- AR/AP Module

FAILED	DURATION - 38.843 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 1:05:55.880 F	PM // 1:06:34.723 PM /	Pass - 0	1	Pass - 5	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Create a contract for an active vendor with expense type Purchases


FAILED	DURATION - 38.838 s												1		Steps		_
/ 1:05:55.885	5 PM // 1:06:34.723 PM /	10 -	-		-				1						Total - 11		
AR/AP Module	Δ	5 -							-						Pass - 5	1	1
		0 -					<u> </u>				!				Skip - 5		
@KUBS_AR//	AP_UAT_001_001_TC_001_01	,		1	2	3	4	5	6	7	8	9	10	11			

#	Step / Hook Details	Status	Duration	
1	Given User should go to the kubs url and login as a maker user	PASSED	12.690 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s	
	screenshot			
2	And user should navigate to accounts payable menu	PASSED	2.508 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s	
	screenshot			
	AMENTO STORY OF THE PROPERTY			

#	Step / Hook Details	Status	Duration
3	When click on eye button of vendor contract	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
4	And click on add button to create contract	PASSED	1.626 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	*** The state of t		
5	And user update the data set ID for vendor contract	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
6	And Fill the required fields to create contract	FAILED	13.863 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ng-star-inserted ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1895, 118). Other element would receive the click: <ion-buttons class="ng-star-inserted buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [84c7b2e1b2342128133b1a9a6f84bca9, clickElement {id=df8b1247-3535-42aa-9929-380531e4347f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:51252}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51252/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver:		

#	Step / Hook Details	Status	Duration
	chrome on WINDOWS (84c7b2e1b2342128133b1a9a6f84bca9)] -> xpath: //ion-toolbar/ion-buttons[1]/ion-button] Session ID:		
	84c7b2e1b2342128133b1a9a6f84bca9		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)		
	at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.		
	fill_the_required_fields_to_create_contract(ACCOUNTSPAYABLE_VendorContracts.java:265)		
	at ?.Fill the required fields to create contract(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/		
	java/features/ArAp1.feature:11)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
	ACRES TO THE OWN OF THE OWN		
	Text		
7	And Cours the Decord from molecu	CKIDDED	0.000.0
7	And Save the Record from maker	SKIPPED	0.000 s
8	Then click on the Notification icon	SKIPPED	0.000 s
9	Then store the Reference ID and open the vendor contract record	SKIPPED	0.000 s
10	Then click submit and enter remark for vendor contract	SKIPPED	0.000 s
11	Then Save and submit the creation contract record	SKIPPED	0.000 s

EXPANDED SECTION -- 7



EXPANDED SECTION -- 8

