Start: Dec 09, 11:14:09.426 am End: Dec 09, 11:15:07.239 am **Duration: 57.813 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 11 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 13 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 84 % 100 100


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 57.813 s |

SCENARIOS SUMMARY

-- 3 --




| # | Feature Name | Scenario Name   | T  | P  | F | S | Duration |
|---|--------------|---|----|----|---|---|----------|
| 1 | AR/AP Module | verify cancelled bill is not allowed for payment settlement | 13 | 11 | 1 | 1 | 57.804 s |

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

| FAILED         | DURATION - 57.813 s     | Scenarios |   | Steps      |    |
|----------------|-------------------------|-----------|---|------------|----|
|                |                         | Total - 1 |   | Total - 13 |    |
| / 11:14:09.426 | am // 11:15:07.239 am / | Pass - 0  | 1 | Pass - 11  | 13 |
|                |                         | Fail - 1. |   | Fail - 1   |    |
|                |                         | Skip - 0  |   | Skip - 1   |    |

## (S)- verify cancelled bill is not allowed for payment settlement



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user                   | PASSED | 28.889 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.522 s  |
|   | screenshot   |        |          |
|   |  |        |          |
| 2 | Then Choose the second Tab Segment   | PASSED | 0.515 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.375 s  |
|   | screenshot   |        |          |
|   |  |        |          |


| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 3 | When click the invoice eye icon in accounts payable  | PASSED | 11.333 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.702 s  |
|   | screenshot   |        |          |
|   | +  |        |          |
| 4 | And click the search icon in invoice booking list view   | PASSED | 1.183 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.270 s  |
|   | screenshot   |        |          |
|   | *** The state of t |        |          |
| 5 | And user update the Excelsheet Testdata for paymentsettlement  | PASSED | 0.009 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.278 s  |
|   | screenshot   |        |          |
|   | *** The state of t |        |          |
| 6 | And search invoice type as expense   | PASSED | 0.279 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.230 s  |
|   | screenshot   |        |          |
|   |  |        |          |
| 7 | And click the first eye icon in the list view of cancelled invoice bill  | PASSED | 0.815 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.466 s  |
|   | screenshot   |        |          |
|   |  | -      | -        |

| 8 And get the invoice number from the bill viewed PASSED 2.157 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And click the payment settlement eye icon  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | #  | Step / Hook Details  | Status | Duration |
|---|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And click the payment settlement eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And click the add icon in payment settlement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.229 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.406 s  |    | ## A STATE   S |        |          |
| screenshot  9 And click the payment settlement eye icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And click the add icon in payment settlement  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  1.076 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.251 s  4.71ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.229 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.406 s   | 8  | And get the invoice number from the bill viewed  | PASSED | 2.157 s  |
| 9 And click the payment settlement eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  10 And click the add icon in payment settlement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  11 And select payment option as buisness partnerwise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.229 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.406 s   |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.200 s  |
| 9 And click the payment settlement eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  10 And click the add icon in payment settlement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.641 s  11 And select payment option as buisness partnerwise AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.229 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.229 s  |    | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.641 s  10 And click the add icon in payment settlement  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  11 And select payment option as buisness partnerwise  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.229 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.406 s  |    | Well the value of the first part of the first pa |        |          |
| Screenshot  10 And click the add icon in payment settlement  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  11 And select payment option as buisness partnerwise  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.229 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.406 s   | 9  | And click the payment settlement eye icon  | PASSED | 0.173 s  |
| 10 And click the add icon in payment settlement PASSED 1.076 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  11 And select payment option as buisness partnerwise PASSED 0.229 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.406 s  |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.641 s  |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  11 And select payment option as buisness partnerwise  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.251 s  0.252 s  0.229 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.406 s   |    | screenshot   |        |          |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  11 And select payment option as buisness partnerwise  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.251 s  0.252 s  0.229 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.406 s   |    |  |        |          |
| screenshot  11 And select payment option as buisness partnerwise  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.229 s  0.406 s  | 10 | And click the add icon in payment settlement   | PASSED | 1.076 s  |
| 11 And select payment option as buisness partnerwise  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.229 s  0.406 s  |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.251 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.406 s   |    | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.406 s   |    |  |        |          |
|   | 11 | And select payment option as buisness partnerwise  | PASSED | 0.229 s  |
| screenshot  |    |  | PASSED | 0.406 s  |
|   |    | screenshot   | ]      |          |


| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | ACTIVE  PART OF THE PART OF TH |         |          |
| 12 | And select buisness partner in payment settlement  | FAILED  | 0.155 s  |
|    | java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.AR_AP_Module.select_buisness_partner_in_payment_settlement(AR_AP_Module.java:714) at ?.select buisness partner in payment settlement(file:///C:/Users/inindc00075/git/Updated_Kubs_Arshath/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:338) * Not displayable characters are replaced by '?'.   |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED  | 0.222 s  |
|    | screenshot   |         |          |
|    | State   Stat   |         |          |
| 13 | Then verify that no bill is available for payment settlement   | SKIPPED | 0.000 s  |

-- 7 --


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

