Cucumber Report

| *Start : Mar 07, 4:44:14.592 AM*	*End : Mar 07, 4:45:46.785 AM*	*Duration : 1 m 32.193 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 32.193 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.	6	4	1	1	1 m 32.185 s

(F)- AR/AP Module

FAILED	DURATION - 1 m 32.193 s	Scenarios		Steps	
/ 4:44:14.592 AM // 4:45:46.785 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 6 Pass - 4 Fail - 1 Skip - 1	6

(S)- Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.

FAILED	DURATION - 1 m 32.185 s		Steps	
/ 4:44:14.600 AM // 4:45:46.785 AM /			Total - 6 Pass - 4 Fail - 1 Skip - 1	6
AR/AP Module				
@KUBS_AR/AP_UAT_013_001_TC_05				

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	27.358 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.901 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	1.599 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of invoice booking	PASSED	0.961 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.607 s
	screenshot		
4	And click on add button for invoice booking	PASSED	0.721 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.573 s
	screenshot		
5	And Fill the required fields for invoice booking with exceeded amount	FAILED	12.249 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-drl-c509="" color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons _ngcontent-drl-c509="" slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d79cd85f7e51f71162baabf2517a4dfa, clickElement {id=de2dab9f-4d22-480c-a584-9488d1da59e1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57740}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57740/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d79cd85f7e51f71162baabf2517a4dfa)] -> xpath: //page-ap-bill-booking-update/ion-header/ion-toolbar/ion-buttons[2]/ion-button] Session ID: d79cd85f7e51f71162baabf2517a4dfa at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)		
	at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking. fill_the_required_fields_for_invoice_booking_with_exceeded_amount(ACCOUNTSPAYABLE_InvoiceBooking.java:853)		
	at ?.Fill the required fields for invoice booking with exceeded amount(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/ src/test/java/features/ArAp_InvoiceBooking.feature:88)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.695 s
	screenshot		
6	Then Save and submit the invoice billing with exceeded amount	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit. | |
| (F) AR/AP Module | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.

(F) AR/AP Module