Cucumber Report

| Start : Jan 13, 11:04:18.454 AM	End : Jan 13, 11:04:55.756 AM	Duration : 37.302 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 24 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	37.302 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify checker can able to reject the budget code which is updated by reviewer	24	24	0	0	37.298 s

(F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 37.302 s		Scenarios			Steps	
			Total - 1			Total - 24	
/ 11:04:18.454 AM // 11:04:55.756 AM /			Pass - 1	1		Pass - 24	24
			Fail - 0			Fail - 0	
			Skip - 0			Skip - 0	

(S)- To verify checker can able to reject the budget code which is updated by reviewer

PASSED	DURATION - 37.298 s		Steps	
			Total - 24	
/ 11:04:18.458 AM // 11:04:55.756 AM /			Pass - 24	24
To check BudgetDefinition moduel feature			Fail - 0	
@Updated_BudgetCode_Rejected_By_Reviewer			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.977 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.685 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
	screenshot		
4	Then search the budget code want to update	PASSED	0.813 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
5	And select the budget code	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
6	And update the budget code	PASSED	3.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then update the budget budget type	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
8	Then update warning percentage	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
9	Then update budget name	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
10	Then update remark	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And click on save after update all the details	PASSED	3.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot 		
12	Then Click on notification icon	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot 		
13	And select the first record	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot 		
14	Then click on submit button	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And enter remark in alert tab	PASSED	0.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
16	And click on submit	PASSED	0.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
17	When click on submit button save the reviewer id	PASSED	0.611 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
18	Given navigate to URL and login as a reviewer	PASSED	6.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then click on notification icon	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.400 s
20	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.067 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.150 s
21	And click on action button	PASSED	0.050 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.296 s
22	Then verify the updated budget record is matched with maker submited record	PASSED	1.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.107 s

#	Step / Hook Details	Status	Duration
23	And reject the record in reviewer stage	PASSED	0.054 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
24	Then enter remark then submit in reviewer stage	PASSED	1.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

	Kastle Universal Banking	21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Business partner setup
Accounting setup
General ledger configuration
Expense/AR & AP configurati...
Budget configuration
Budget definition
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

← Budget Definition

* Budget Code
BUDC4031

* Budget Type
QUARTERLY

* Warning Percentage
20

* Budget Name
Test

Remark
Ok

Status
ACTIVE

22 Appro... 11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

	Kastle Universal Banking	21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Business partner setup
Accounting setup
General ledger configuration
Expense/AR & AP configurati...
Budget configuration
Budget definition
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

← Budget Definition

* Budget Code
BUDC4031

* Budget Type
QUARTERLY

* Warning Percentage
20

* Budget Name
Test

Remark
Ok

Status
ACTIVE

22 Appro... 11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code which is updated by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code which is updated by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code which is updated by reviewer (F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code which is updated by reviewer (F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code which is updated by reviewer	
(F) To check BudgetDefinition moduel feature	