

# Cucumber Report

08-Feb-2022, 11:44:44 am

**Start : Feb 08, 11:11:00.940 am**

**End : Feb 08, 11:44:43.805 am**

**Duration : 33 m 42.865 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 6**


**FAILED - 1**

**SKIPPED - 18**







#	Feature Name	T	P	F	S	Duration
1	<u>Check unwanted inventory stock can be return to the Branch</u>	1	0	1	0	33 m 42.865 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check unwanted inventory stock can be return to the Branch</u>	<u>Check inventory stock confirmation</u>	25	6	1	18	33 m 42.860 s

**(F)- Check unwanted inventory stock can be return to the Branch**


<b>FAILED</b>	<b>DURATION - 33 m 42.865 s</b>	Scenarios		Steps	
/ 11:11:00.940 am // 11:44:43.805 am /		Total - 1		Total - 25	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 18	

**(S)- Check inventory stock confirmation**

<div>FAILED</div> <div>DURATION - 33 m 42.860 s</div>			Steps	
/ 11:11:00.945 am // 11:44:43.805 am /			Total - 25	
Check unwanted inventory stock can be return to the Branch			Pass - 6	
@KUBS_INV_MGMT_UAT_004_StockConfirm			Fail - 1	
			Skip - 18	

#	Step / Hook Details	Status	Duration
1	Given Launch the Azentio maker url	PASSED	12.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
			
2	Then Inventory Second direction icon	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Inventory Management Module	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
			
4	Then Click on Inventory stock confirmation eye icon	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
			
5	And Sub module Inventory stock confirmation click Add icon	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
			
6	Then Enter Request Reference Number	PASSED	0.434 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<b>And Enter Item code Number</b>  <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fc4b068409e17efbb17178238bb3a483, findElement {using=xpath, value="//div[@id='toast-container']/div/div[@role='alertdialog']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:61934}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61934/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fc4b068409e17efbb17178238bb3a483</p> <pre> at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:79) </pre>	FAILED	33 m 20.771 s

#	Step / Hook Details	Status	Duration
	at stepdefinitions.INVENTORY_StockReturnBranch.enter_item_code_number(INVENTORY_StockReturnBranch.java:411) at ?.Enter Item code Number(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:41) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fc4b068409e17efbb17178238bb3a483, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:61934}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61934/devtools, se.cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fc4b068409e17efbb17178238bb3a483 atjdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	FAILED	0.004 s
8	Then Accept the status in checkbox	SKIPPED	0.000 s
9	And click the save icon for StockConfirm	SKIPPED	0.001 s
10	And goto maker Notification icon	SKIPPED	0.000 s
11	Then Click Submit button to Inventory Record	SKIPPED	0.000 s
12	And Give Remark and submit to reviewer	SKIPPED	0.000 s
13	Given Login As Reviewer	SKIPPED	0.000 s
14	And Goto Reviewer Notification	SKIPPED	0.000 s
15	Then open the submitted Record from maker	SKIPPED	0.000 s
16	And Approve the Record in Reviewer	SKIPPED	0.000 s
17	Then Enter The Remark and submit in Reviewer	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
18	Given Login As Checker	SKIPPED	0.000 s
19	Then Click Security management module	SKIPPED	0.000 s
20	And Click Sub module open Pool Edit icon	SKIPPED	0.000 s
21	And Claim the submitted Record	SKIPPED	0.001 s
22	Then Goto Checker Notification	SKIPPED	0.000 s
23	And Open the Record Approve from Reviewer	SKIPPED	0.000 s
24	And Approve the Record in Checker End	SKIPPED	0.000 s
25	Then Enter the Remark and submit the record in checker	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.055 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fc4b068409e17efbb17178238bb3a483, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:61934}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61934/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fc4b068409e17efbb17178238bb3a483</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)  at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check inventory stock confirmation


(F) Check unwanted inventory stock can  
be return to the Branch



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check inventory stock confirmation


(F) Check unwanted inventory stock can  
be return to the Branch



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check inventory stock confirmation


(F) Check unwanted inventory stock can  
be return to the Branch



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can  
be return to the Branch



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can  
be return to the Branch

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable  
Fixed assets  
Inventory management  
Petty cash  
Bank recon

22 Appro... 11 Messa...

Home Preference

Stock Confirmation

\* Request Reference Number \* Item Code \* Issue Reference Number

Item Description Issue Quantity Start Serial Number

End Serial Number \* Accept Status ☐

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can  
be return to the Branch

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable  
Fixed assets  
Inventory management  
Petty cash  
Bank recon

22 Appro... 11 Messa...

Home Preference

Stock Confirmation

\* Request Reference Number \* Item Code \* Issue Reference Number

TRN\_IR\_135\_20220207175208 x Item Code Issue Reference Number

Item Description Issue Quantity Start Serial Number

End Serial Number \* Accept Status ☐