Cucumber Report

| Start : Feb 07, 2:01:03.761 AM	End : Feb 07, 2:01:57.693 AM	Duration : 53.932 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 0

1

1

15

Pass %

0 %

Pass %

0 %

Pass %

93 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	1	0	1	0	53.932 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	Create a purchase order with Unique purchase order number	15	14	1	0	53.928 s

(F)- Checking the Acount Payable functionality

FAILED	DURATION - 53.932 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 2:01:03.761 AM // 2:01:57.693 AM /		Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Create a purchase order with Unique purchase order number

FAILED	DURATION - 53.928 s		Steps	
			Total - 15	
/ 2:01:03.765 AM // 2:01:57.693 AM /			Pass - 14	15
Checking the Acount Payable functionality			Fail - 1	
@KUBS_INV_MGMT_UAT_001_003 @MultiAuth			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
2	Then Click on Direction icon	PASSED	0.390 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Account Payable	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
4	Then Click on purchase order Eye Icon	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
5	Then Click on purchase order Add button	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
6	Then Fill purchase order Mandatory fields	PASSED	8.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Account Payable Save button	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		
8	Then Click on Account Payable Notification	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
9	And Select Inventory Item and Submit the record	PASSED	8.912 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		
10	Then log in to the reviewer account	PASSED	5.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then click on the Notification select the record and Approve	PASSED	5.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
12	Then log in to the Checker Account	PASSED	5.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.087 s
	screenshot		
13	And then checker claim the record	PASSED	1.863 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
14	Then click on the checker Notification	PASSED	1.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And select the record and Approve by checker	FAILED	2.807 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1193, 28). Other element would receive the click: ...   (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5bcc8fde06970d87d017b501834d727, clickElement {id=e80e727b-9e02-4952-aa24-9ad73bffc14f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52194}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52194/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c5bcc8fde06970d87d017b501834d727)] -> xpath: //span/ion-button[1]/span] Session ID: c5bcc8fde06970d87d017b501834d727
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
    at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
    at stepdefinitions.InventoryMaintenance.select_the_record_and_approve_by_checker(InventoryMaintenance.java:393)
    at ?.select the record and Approve by checker(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountPayable_VendorPurchaseOrder.feature:20)
* Not displayable characters are replaced by '?'.

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a purchase order with Unique purchase order number	
(F) Checking the Acount Payable functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a purchase order with Unique purchase order number	
(F) Checking the Acount Payable functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Checking the Acount Payable
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Checking the Acount Payable
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

| | Kastle Universal Banking (Beta) | | | 03-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

← Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	217	GRN_EVENT	MAKER	MAKER	1002435
✏	162	INVENTORY_ACCESS	MAKER	MAKER	1002435
✏	315	AP_BILL_BOOKING	MAKER	MAKER	1002435
✏	314	AP_BILL_BOOKING	MAKER	MAKER	1002435
✏	313	AP_BILL_BOOKING	MAKER	MAKER	1002435

General ledger transaction
Budget
Accounts payable
Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

497 total

|◀ ◀ 1 2 3 4 5 ▶ ▶|

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

| | Kastle Universal Banking (Beta) | | | 03-Oct-2022 | English | Azentio Software | (AZENTMAIN) | REVIEWER |

Welcome, Reviewer

22 Appro... 11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a purchase order with Unique purchase order number	
(F) Checking the Acount Payable functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a purchase order with Unique purchase order number	
(F) Checking the Acount Payable functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality