

Cucumber Report

Feb 24, 2022, 5:39:16 PM

Start : Feb 24, 5:38:25.116 PM

End : Feb 24, 5:39:12.726 PM

Duration : 47.610 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	47.610 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Cancellation of approved receipts Cancel approved receipts through Cheque Mode	20	7	1	12	47.604 s

(F)- Check the Functionality of AR/AP Module



FAILED	DURATION - 47.610 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 20 Pass - 7 Fail - 1 Skip - 12	
/ 5:38:25.116 PM // 5:39:12.726 PM /					


(S)- Cancellation of approved receipts Cancel approved receipts through Cheque Mode

FAILED	DURATION - 47.604 s		Steps Total - 20 Pass - 7 Fail - 1 Skip - 12	
/ 5:38:25.122 PM // 5:39:12.726 PM /				
Check the Functionality of AR/AP Module				
@KUBS_AR/AP_UAT_011_001				

#	Step / Hook Details	Status	Duration
1	Given Navigate to kubs URL and user should login as a maker	PASSED	16.720 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot 		
2	Then Click on the Finance	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on the Direction	PASSED	0.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s
	screenshot		
			
4	Then Click on Accounts Recivable	PASSED	0.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
5	Then Click on Receipts reversals eye button	PASSED	0.621 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
			
6	Then Click on add button of Receipts reversals	PASSED	0.950 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then Fill all the details of Receipts reversals form	PASSED	2.683 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
			
8	Then Click on save button of Receipts reversals form	FAILED	1.127 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [31b832fdcd3ae5dd0ceb23b2d01c1cf, clickElement {id=4e9c9764-fc78-486b-9508-2cf2fd593c05}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\pfnh...), goog:chromeOptions: {debuggerAddress: localhost:50037}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50037/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (31b832fdcd3ae5dd0ceb23b2d01c1cf)] -> xpath: //page-receipts-reversals-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 31b832fdcd3ae5dd0ceb23b2d01c1cf</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ArAp.click_on_save_button_of_receipts_reversals_form(ArAp.java:333) at ?.Click on save button of Receipts reversals form(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/ArAp.feature:124) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.392 s
9	Then Click on Edit Grid of Receipts reversals	SKIPPED	0.000 s
10	Then Open first record from Edit Grid of Receipts reversals	SKIPPED	0.000 s
11	Then Click on initiate	SKIPPED	0.000 s
12	Then Click on the Notification	SKIPPED	0.000 s
13	Then Select the record which we saved	SKIPPED	0.000 s
14	Then Submit record	SKIPPED	0.001 s
15	Then Open the Reviewer account	SKIPPED	0.000 s
16	Then Click on the Notification	SKIPPED	0.001 s
17	Then Approve the record which we submitted from maker	SKIPPED	0.001 s
18	Then Go to Checker login	SKIPPED	0.000 s
19	Then Clam record	SKIPPED	0.000 s
20	Then Click on the notification and approve the record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

Actions	Branch Code - Name	Txn Number	Receipt Type	Receipt Number	Receipt Amount	Receipt Date	Payer
	AZENTMAIN - Azentio A	RECAN_11_2422022	Cheque	REC_5_3122021	20000	24-Feb-2022	Rani
	AZENTMAIN - Azentio A	RECAN_10_2422022	Cheque	REC_34_2422022	100	24-Feb-2022	xzyzy
	AZENTMAIN - Azentio A	RECAN_9_29122021	Wire	REC_23_29122021	3500	29-Dec-2021	Suraj
	AZENTMAIN - Azentio A	RECAN_8_29122021	Wire	REC_22_29122021	20000	29-Dec-2021	Raj
	AZENTMAIN - Azentio A	RECAN_7_29122021	Wire	REC_6_6122021	10000	29-Dec-2021	Shashee
	AZENTMAIN - Azentio A	RECAN_6_29122021	Wire	REC_21_29122021	8500	29-Dec-2021	Shashee
	AZENTMAIN - Azentio A	RECAN_5_22122021	Wire	REC_15_22122021	742	22-Dec-2021	Ravi Anna
	AZENTMAIN - Azentio A	RECAN_4_20122021	Cheque	REC_7_20122021	4000	20-Dec-2021	anay

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

Receipts Reversal

Entity Branch: Azentio Main Branch x Txn Number: * Receipt Reference Number:
Receipt Amount: Txn Date: * Cancellation Remarks: Cancel due to internal error|
Txt Status:

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of approved receipts
Cancel approved receipts through
Cheque Mode

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

Receipts Reversal

Entity Branch: Azentio Main Branch x Txn Number: * Receipt Reference Number:
Receipt Amount: Txn Date: * Cancellation Remarks: Cancel due to internal error|
Txt Status: