
Duration : 3.292 s Start: Mar 14, 1:35:00.926 PM End: Mar 14, 1:35:04.218 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 3 3 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	3.292 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	reviewer approved the record	3	0	0	3	3.283 s

DETAILED SECTION -- 4 -

(F)- AR/AP Module

FAILED	DURATION - 3.292 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 1:35:00.926 PI	M // 1:35:04.218 PM /	Pass - 0	1	Pass - 0	3
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 3	

(S)- reviewer approved the record



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	3.239 s
	org.openqa.selenium.remote.http.ConnectionFailedException: Unable to establish websocket connection to http://localhost:51253/devtools/browser/93aed2b9-65af-4746-8d96-993a93e83b95 Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.128', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: ChromeDriver		
	at org.openqa.selenium.remote.http.netty.NettyWebSocket. <init>(NettyWebSocket.java:104)</init>		
	at org.openqa.selenium.remote.http.netty.NettyWebSocket.lambda\$create\$3(NettyWebSocket.java:137)		
	at org.openqa.selenium.remote.http.netty.NettyClient.openSocket(NettyClient.java:127)		
	at org.openqa.selenium.devtools.Connection. <init>(Connection.java:73)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver.lambda\$new\$1(ChromiumDriver.java:102)		
	at java.base/java.util.Optional.map(Optional.java:260)		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:100)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:99)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:86)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41)</init>		
	at resources.BaseClass.initializeDriver(BaseClass.java:28)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User login as a reviewer user for verify settlement for the bill is auto approved	SKIPPED	0.000 s

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
2	Then update data set ID for verify settlement for the bill is auto approved reviewer	SKIPPED	0.001 s
3	Then click on the Notification select the Cheque record and Approve	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		