Duration: 43.779 s Start: Mar 31, 11:17:00.617 am End: Mar 31, 11:17:44.396 am Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 18 SKIPPED - 0 SKIPPED - 0 SKIPPED - 9 28 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 64 % 100 100


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Petty cash	1	0	1	0	43.779 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Petty cash	Create a fund request for Petty Cash	28	18	1	9	43.773 s

DETAILED SECTION -- 4 --

(F)- Check the Functionality of Petty cash

FAILED	DURATION - 43.779 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 11:17:00.617 a	m // 11:17:44.396 am /	Pass - 0	1	Pass - 18	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

(S)- Create a fund request for Petty Cash



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.572 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
	Section 1 Annual Sectio		
2	Then Choose the second Tab Segment	PASSED	0.384 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on Petty cash module	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
	# Descriptions Section of the Control of the Cont		
4	Then Click on Fund Request Eye Icon	PASSED	0.384 s
	AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.284 s
5	Then Click on Add Icon in Petty cash	PASSED	0.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.274 s
6	And Enter Request Amount value	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot	<u> </u>	

7 Then Enter Petty cash Remark AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then save Record in Petty cash AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Goto The Notification Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefin	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then save Record in Petty cash AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Goto The Notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Goto The Notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.102 s 0.105 s PASSED 0.376 s 0.376 s 0.376 s 0.376 s 0.376 s 0.376 s		O temperature O temperatur		
screenshot 8 Then save Record in Petty cash AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Goto The Notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 FTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.791 s PASSED 0.378 s	7	Then Enter Petty cash Remark	PASSED	0.137 s
8 Then save Record in Petty cash AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then Goto The Notification Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot 10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.791 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
Then save Record in Petty cash AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.105 s PASSED O.376 s Then Goto The Notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.791 s PASSED O.791 s PASSED O.378 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Goto The Notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.376 s 0.198 s 0.260 s		The state of the s		
Screenshot 9 Then Goto The Notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.791 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s	8	Then save Record in Petty cash	PASSED	0.105 s
9 Then Goto The Notification Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s 0.260 s 0.260 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
9 Then Goto The Notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s 0.260 s 0.260 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.260 s 0.791 s PASSED 0.791 s 0.378 s		Note		
Screenshot 10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.791 s 0.378 s	9	Then Goto The Notification Icon	PASSED	0.198 s
10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.791 s 0.378 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
10 And Store the Referance Id and Open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.791 s 0.378 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s		© harmonia		
	10	And Store the Referance Id and Open the Record	PASSED	0.791 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
		screenshot		

#	Step / Hook Details	Status	Duration
	Water Space Spac		
11	Then Click submit button and Enter Remark then submit it	PASSED	2.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
	** ** ** ** ** ** ** *		
12	Given Navigate as a Reviewer	PASSED	7.858 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Temporal Company of the Compan	PASSED	0.106 s
13	Then click on Notify icon	PASSED	0.785 s
13	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot The content of the con		
14	And Click First record Action icon	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		


#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
15	Then Approve the record in Reviewer	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
	*** ** *******************************		
16	And Give Remark and Submit	PASSED	1.553 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot	1	
	** Of the Control of		
17	Given Navigate as a Checker	PASSED	7.499 s
11	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot	1.7.0025	3.1000
	But the state of t	-	
18	Then Click module security management	PASSED	0.268 s
10	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot	1	
	I .		1

#	Step / Hook Details	Status	Duration
	The state of the s		
19	And Claim the Record in Checker	FAILED	0.024 s
TA	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath";"selector":"//span[contains(text(),139]/parent:.div/parent:.diatable-body-cell/preceding-sibling:.datatable-body-cell/2]/div/ion-buttons/ion-	PAILEU	0.024 5
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	By Contraction of the Contractio		
20	Then Cote the Checker netification loop	CKIDDED	0.000 0
20	Then Goto the Checker notification Icon	SKIPPED	0.000 s
21	And Click the First Action Icon	SKIPPED	0.000 s
22	Then Approve the Record in checker stage	SKIPPED	0.000 s
23	And Give the Remark and Submit it	SKIPPED	0.000 s
24	Given Navigate The Azentio Url	SKIPPED	0.000 s
25	Then Choose the second Tab Segment	SKIPPED	0.000 s
26	And Click on Petty cash module	SKIPPED	0.001 s
27	Then Click on Fund Request Eye Icon	SKIPPED	0.000 s
28	Then Click on Table Row First Eye Icon	SKIPPED	0.001 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --





EXPANDED SECTION -- 14 --







EXPANDED SECTION -- 16 --





EXPANDED SECTION -- 18 --





EXPANDED SECTION -- 20 --

