
Start: Mar 07, 12:26:22.484 pm **Duration: 24.782 s** End: Mar 07, 12:26:47.266 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 13 SKIPPED - 0 SKIPPED - 0 SKIPPED - 32 46 40 50 60 40 50 60 40 50 60 30 Pass% 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 28 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	24.782 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify Advance against PO is adjusted against the selected	46	13	1	32	24.774 s
	Module	bill and Net Adjusted Value is correctly displayed					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 24.782 s	Scenarios		Steps	
		Total - 1		Total - 46	
/ 12:26:22.484	4 pm // 12:26:47.266 pm /	Pass - 0	1	Pass - 13	46
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 32	

(S)- Verify Advance against PO is adjusted against the selected bill and Net Adjusted Value is correctly displayed

FAILED	DURATION - 24.774 s				-														Steps		
/ 12-26-22 4	92 pm // 12:26:47.266 pm /	10	'- -	-			-		-!		-!		-			- -	- + -		Total - 46		
7 12.20.22.4	32 μπ// 12.20.47.200 μπ/	- 5			i	Ĺ	j		.i		į.		į.	j.			_ i _		Pass - 13	46	
Check the Fu	inctionality of AR/AP Module											-							Fail - 1	,	7
@KUBS AR	AP_UAT_004_006_TC_01	0		<u>.</u>	<u> </u>	<u>.</u>		<u> </u>	-	<u> </u>	<u> </u>	÷	<u> </u>	÷	÷	<u> </u>	=		Skip - 32		
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.852 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
	■ © Manufacturantes to the state of the sta		
2	Then Choose the second Tab Segment	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFSED AFSE	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s 0.217 s		© 1		
screenshot 4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click Add icon button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s	3	And Click On Main module Accounts Receivable	PASSED	0.121 s
Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click Add icon button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter the Receivable Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s 0.454 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.318 s And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.310 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.310 s PASSED 0.393 s Then Enter the Receivable Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s PASSED 0.147 s		Provide G 0 T T T T T T T T T T T T T T T T T T		
screenshot And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) The Enter the Receivable Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s PASSED 0.147 s	4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.370 s
5 And Click Add icon button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter the Receivable Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
5 And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter the Receivable Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.310 s 0.393 s 0.454 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter the Receivable Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.393 s PASSED 0.454 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.454 s		0 / 10754 met March 1987 met March		
Screenshot 6 Then Enter the Receivable Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s 0.147 s	5	And Click Add icon button	PASSED	0.310 s
6 Then Enter the Receivable Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s 0.147 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
6 Then Enter the Receivable Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.454 s 0.147 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s		Description		
	6	Then Enter the Receivable Name	PASSED	0.454 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
		screenshot		

#	Step / Hook Details	Status	Duration
7	And Enter Business partner	PASSED	0.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
8	Then Enter the PO Number	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
9	And Enter Payment mode	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
10	Then Enter Amount value	PASSED	0.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		


#	Step / Hook Details	Status	Duration
	The state of the s		
11	And Choose Needed Currancy	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
12	Then Choose cost center	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
13	And Enter Description value	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.188 s
14	Then Save the Advance Record	FAILED	1.127 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		


#	Step / Hook Details	Status	Duration
	name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver		
	Command: [09b61126733a5c15ffc10a7675ab44ad, clickElement {id=c988298f-80b6-4b34-86c7-d3c5ffadfdff}] Capabilities		
	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80		
	(7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64570}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	Proxy(), se:cdp: ws://localhost:64570/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts:		
	{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS		
	(09b61126733a5c15ffc10a7675ab44ad)] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID:		
	09b61126733a5c15ffc10a7675ab44ad		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)		
	at stepdefinitions.ARAP_CancellationOfGRN.save_the_advance_record(ARAP_CancellationOfGRN.java:1233)		
	at ?.Save the Advance Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/		
	ARAP_GrnCancellation.feature:294) * Not displayable characters are replaced by '?'.		
		D	0.404
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	E 0 suprimentation to the contract agreem () E 0 most		
	P 1 1 1 1 1 1 1 1 1		
	Position (a) of the control of the c		
	1 mm g 0		
	2004 1004 £ 200		

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
15	Then Goto The Notification Icon	SKIPPED	0.000 s
16	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
17	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
18	Given Navigate as a Reviewer	SKIPPED	0.000 s
19	Then click on Notify icon	SKIPPED	0.000 s
20	And Click First record Action icon	SKIPPED	0.000 s
21	Then Approve the record in Reviewer	SKIPPED	0.000 s
22	And Give Remark and Submit	SKIPPED	0.000 s
23	Given Navigate as a Checker	SKIPPED	0.000 s
24	Then Click module security management	SKIPPED	0.000 s
25	And Claim the Record in Checker	SKIPPED	0.000 s
26	Then Goto the Checker notification Icon	SKIPPED	0.001 s
27	And Click the First Action Icon	SKIPPED	0.000 s
28	Then Approve the Record in checker stage	SKIPPED	0.000 s
29	And Give the Remark and Submit it	SKIPPED	0.000 s
30	Given Navigate The Azentio Url	SKIPPED	0.001 s
31	Then Choose the second Tab Segment	SKIPPED	0.000 s
32	And Click On Main module Accounts Receivable	SKIPPED	0.001 s
33	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
34	And Click On Search Icon	SKIPPED	0.000 s
35	Then Enter Active Value In Advance Status	SKIPPED	0.000 s
36	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
37	And Get The Business Partner and Advance Number	SKIPPED	0.001 s
38	And Click On Main module Accounts payable	SKIPPED	0.000 s
39	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
40	And Click Add icon button	SKIPPED	0.000 s
41	Then Enter payment option	SKIPPED	0.001 s
42	And Give stored Business partner Name	SKIPPED	0.000 s
43	Then Choose value date as System current date	SKIPPED	0.001 s
44	And find the Advance reference number and Net Adjustable value in the billing queue	SKIPPED	0.000 s
45	Then Click the Checkbox As Tick	SKIPPED	0.000 s
46	And Verify the Net Adjusted Value is correctly displayed	SKIPPED	0.000 s

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

