Cucumber Report

Start : Jan 17, 9:30:12.569 am	End : Jan 17, 9:30:42.050 am	Duration : 29.481 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 13

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 92 %

#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	29.481 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	To verify the impact if user enters all the valid details and clicking on save button	13	12	1	0	29.476 s

(F)- Check Budget Request and Allocation feature module

| FAILED	DURATION - 29.481 s	Scenarios		Steps	
	/ 9:30:12.569 am // 9:30:42.050 am /	Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 13 Pass - 12 Fail - 1 Skip - 0	13

(S)- To verify the impact if user enters all the valid details and clicking on save button

FAILED	DURATION - 29.476 s		Steps	
	/ 9:30:12.574 am // 9:30:42.050 am /		Total - 13	
	Check Budget Request and Allocation feature module		Pass - 12 Fail - 1 Skip - 0	13
	@KUBS_BP_BC_01_03_Autoauth_Savarecord			

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	12.659 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
2	Then Click Transfer Icon button	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on Budget Module field	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
4	Then Click on Budget Sub module Near Eye Icon button	PASSED	0.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
5	And Click on Add icon Request and Allocation	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
6	Then choose current Budget Code	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Clk current Budget Year	PASSED	0.370 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
8	Then Clk on Branch fields	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
9	And Clk one Branch in branch field	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
10	Then Clk on Branch ok button in pop up	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Clk Need currency	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot 		
12	And Select Amount for which Budget Type Show in Budget type	PASSED	4.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot 		
13	And Clk on save icon	FAILED	1.130 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7a55333d312a062158e334eaf98f0f7a, clickElement {id=9faa152b-85a5-4028-880f-6ca170d2d662}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52495}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52495/devtoo..., se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7a55333d312a062158e334eaf98f0f7a)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 7a55333d312a062158e334eaf98f0f7a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.KUBS_Auto_Auth_RequestandAllocation.Clk_on_save_icon(KUBS_Auto_Auth_RequestandAllocation.java:624) at ?.Clk on save icon(file:///C:/Users/inindc00075/eclipse-workspace/AzentioFramework/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetRequestandAllocation.feature:320) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.117 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

Kastle Universal Banking

21-Oct-2021 English ▾   Azentio Software ▾ (AZENT-MAIN) ANANT

Finance ▾

Business partner setup
Accounting setup
General ledger configuration
Expense/AR & AP configurati...
Budget configuration
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

Welcome, anant

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

Kastle Universal Banking

21-Oct-2021 English ▾   Azentio Software ▾ (AZENT-MAIN) ANANT

Finance ▾

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management
Petty cash
Bank recon

Welcome, anant

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all
the valid details and clicking on save
button

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all
the valid details and clicking on save
button

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify the impact if user enters all the valid details and clicking on save button	
(F) Check Budget Request and Allocation feature module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify the impact if user enters all the valid details and clicking on save button	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all
the valid details and clicking on save
button

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all
the valid details and clicking on save
button

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module