


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------------------|---|---|---|---|----------|
| 1 | Check the Functionality of Inventory | 1 | 0 | 1 | 0 | 45.827 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------------|---|----|----|---|----|----------|
| 1 | Check the Functionality of Inventory | Create a purchase order with Unique purchase order number | 24 | 12 | 1 | 11 | 45.822 s |

DETAILED SECTION -- 4 --

(F)- Check the Functionality of Inventory

| FAILED | DURATION - 45.827 s | Scenarios | | Steps | |
|------------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 24 | |
| / 12:55:42.279 A | M // 12:56:28.106 AM / | Pass - 0 | 1 | Pass - 12 | 24 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 11 | |

(S)- Create a purchase order with Unique purchase order number



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 12.793 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.295 s |
| | screenshot | | |
| | ** ** ** ** ** ** ** ** ** ** ** ** ** | | |
| 2 | And user should navigate to inventory management | PASSED | 2.785 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.262 s |
| | screenshot | | |

| ASSED | 0.188 s |
|----------|---------------------|
| ASSED | 0.351 s |
| | |
| | |
| ASSED | 2.255 s |
| ASSED | 0.131 s |
| | |
| | |
| ASSED | 0.133 s |
| ASSED | 0.175 s |
| | |
| | |
| ASSED | 0.176 s |
| ASSED | 0.183 s |
| | |
| <u> </u> | SSED SSED SSED SSED |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | Figure 1 age State | | |
| 7 | Then Click on purchase order Add button | PASSED | 0.751 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.307 s |
| | screenshot | | |
| | # 19 and age of the control of the c | | |
| 8 | Then Fill purchase order for inventory Mandatory fields | PASSED | 5.286 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.155 s |
| | screenshot | | |
| | | | |
| 9 | Then Click on Account Payable Save button | PASSED | 2.213 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.141 s |
| | screenshot | | |
| | ## 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |
| 10 | Then Click on Item Details Record | PASSED | 0.679 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.201 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | | | |
| 11 | Then Edit the item details fields po | PASSED | 0.550 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.198 s |
| | screenshot | | |
| | State Stat | | |
| 12 | Then Click on the item details save button po | PASSED | 0.412 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.160 s |
| | screenshot | | |
| | ### OF THE PROPERTY OF THE PRO | | |
| 13 | Then Click on Beneficiary details tab | FAILED | 10.650 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //body/div/div/div/div/div/div/div/div/div/div | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: | | |
| | ws://localhost:56163/devtoo, se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a342c4dc8f76c11d4864787a3e8bb357 | | |
| | at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) | | |
| | at stepdefinitions.AccountPayable_VendorPurchaseOrder.Click_on_Beneficiary_details_tab(AccountPayable_VendorPurchaseOrder. | | |
| | java:542) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |

| Step / Hook Details | Status | Duration |
|--|----------------|----------|
| at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117 | [']) | |
| at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java: | 43) | |
| at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| at org.testng.TestRunner.run(TestRunner.java:596) | | |
| at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| at org.testng.TestNG.run(TestNG.java:1031) | | |
| at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| * Not displayable characters are replaced by '?'. | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.114 s |
| screenshot | | |


DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | The Control Agent Control Agen | | |
| 14 | Then fill Beneficiary Details | SKIPPED | 0.001 s |
| 15 | Then Click on Beneficiary Save button | SKIPPED | 0.000 s |
| 16 | Then Click on Account Payable Notification | SKIPPED | 0.000 s |
| 17 | Then Select the record from Notification | SKIPPED | 0.000 s |
| 18 | And Submit the Selected record | SKIPPED | 0.000 s |
| 19 | Then log in to the reviewer account | SKIPPED | 0.000 s |
| 20 | Then click on the Notification select the record and Approve | SKIPPED | 0.000 s |
| 21 | Then log in to the Checker Account | SKIPPED | 0.000 s |
| 22 | And then checker claim the record | SKIPPED | 0.000 s |
| 23 | Then click on the checker Notification | SKIPPED | 0.001 s |
| 24 | And select the record and Approve by checker | SKIPPED | 0.000 s |


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

