# Cucumber Report

| Start : Feb 02, 9:48:33.654 AM | End : Feb 02, 11:09:17.272 AM | Duration : 80 m 43.618 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 6<br>FAILED - 1<br>SKIPPED - 2 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| *1* | *To verify the reports for fixed asset* | *1* | *0* | *1* | *0* | *80 m 43.618 s* |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To verify the reports for fixed asset | Check Asset Contract | 9 | 6 | 1 | 2 | 80 m 43.608 s |

## (F)- To verify the reports for fixed asset

| FAILED | DURATION - 80 m 43.618 s | Scenarios | | Steps | |
|--------|--------------------------|-----------|--|-------|--|
| / 9:48:33.654 AM // 11:09:17.272 AM / | | Total - 1 | | Total - 9 | |
| | | Pass - 0 | 1 | Pass - 6 | 9 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |

## (S)- Check Asset Contract

| FAILED | DURATION - 80 m 43.608 s | | Steps | |
|--------|--------------------------|--|-------|--|
| / 9:48:33.664 AM // 11:09:17.272 AM / | | | Total - 9 | |
| To verify the reports for fixed asset | | | Pass - 6 | 9 |
| @KUBS_FAT_UAT_013_009_AssetContract | | | Fail - 1 | |
| | | | Skip - 2 | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 1 m 1.645 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.054 s |
| | screenshot | | |
| | | | |
| 2 | Then click on report icon | PASSED | 3.064 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.295 s |
| | screenshot | | |
| | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And user should navigate to reports menu | PASSED | 2.477 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.363 s |
| 4 | Then Get the data set id for the report of asset contract | PASSED | 0.017 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.360 s |
| 5 | Then click on temp grid button of asset contract | PASSED | 0.955 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.680 s |
| 6 | And Get the system date for asset undertaking | PASSED | 0.206 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.262 s |
| 7 | And select the contract ref number and date to check asset contract details are displaying | FAILED | 78 m 38.884 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [810d14a520c04e92f4f272e7a543f16d, clickElement {id=e9eb56d3-f976-4778-9823-d1883faba9be}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53367}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53367/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (810d14a520c04e92f4f272e7a543f16d)] -> xpath: (//button[@type='button'])[3]] Session ID: 810d14a520c04e92f4f272e7a543f16d<br><br>   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>   at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>   at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>   at stepdefinitions.Reports_AssetCreationCommon. select_the_contract_ref_number_and_date_to_check_asset_contract_details_are_displaying(Reports_AssetCreationCommon.java:383)<br>   at ?.select the contract ref number and date to check asset contract details are displaying(file:///C:/Users/ININDC00073/git/ KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports. feature:127)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 0.165 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [810d14a520c04e92f4f272e7a543f16d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53367}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53367/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 810d14a520c04e92f4f272e7a543f16d<br><br>   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)<br>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 8 | Then click in the view button to check | SKIPPED | 0.002 s |
| 9 | Then the report is displaying all the asset contract details for a branch | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 34.763 s |
| | org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer   (failed to check if window was closed: disconnected: unable to connect to renderer)   (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [810d14a520c04e92f4f272e7a543f16d, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53367}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53367/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 810d14a520c04e92f4f272e7a543f16d<br>  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)<br>  at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset Contract

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset Contract

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset Contract

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset Contract

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset Contract

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Check Asset Contract

(F) To verify the reports for fixed asset