

Cucumber Report

21-Mar-2022, 10:30:09 am

Start : Mar 21, 10:29:43.704 am

End : Mar 21, 10:30:06.793 am

Duration : 23.089 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 9


FAILED - 1

SKIPPED - 18







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	1	0	1	0	23.089 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	<u>Create an accounting base templet for accounting book for legal entity</u>	28	9	1	18	23.079 s





(F)- Check the Functionality of the GL2 Module





FAILED	DURATION - 23.089 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 28 Pass - 9 Fail - 1 Skip - 18	
/ 10:29:43.704 am // 10:30:06.793 am /					


(S)- Create an accounting base templet for accounting book for legal entity

<div>FAILED</div> <div>DURATION - 23.079 s</div>		<div></div>	<div>Steps</div> <div>Total - 28</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 18</div>	<div></div>
<div>/ 10:29:43.714 am // 10:30:06.793 am /</div>				
<div>Check the Functionality of the GL2 Module</div>				
<div>@KUBS_GL_UAT_001_001</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
			
2	And Click on Accounting Setup module	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click sub module Accounting book definition	PASSED	0.378 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot 		
4	And Click on Add icon	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot 		
5	Then Choose the Template Type of Base Template	PASSED	0.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot 		
6	And Enter Book Name	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Select system date as Effective date	PASSED	1.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			
8	And Choose the Book Type what you Need	PASSED	0.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
			
9	Then Enter the Remark	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
			
10	And Save the Record	FAILED	1.197 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		


#	Step / Hook Details	Status	Duration
	<p>name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7dd70c6174cb09a8f805b743abda79a4, clickElement {id=1cb4daaf-95c6-4c73-802a-fd4d12f5ef49}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58084}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58084/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7dd70c6174cb09a8f805b743abda79a4)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 7dd70c6174cb09a8f805b743abda79a4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.GL2_Accounting_Book_Definition.save_the_record(GL2_Accounting_Book_Definition.java:136) at ?.Save the Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL2_Accounting_Setup.feature:13) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.114 s

#	Step / Hook Details	Status	Duration
11	Then Goto The Notification Icon	SKIPPED	0.000 s
12	And Store the Referance Id and Open the Record	SKIPPED	0.001 s
13	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
14	Given Navigate as a Reviewer	SKIPPED	0.001 s
15	Then click on Notify icon	SKIPPED	0.000 s
16	And Click First record Action icon	SKIPPED	0.001 s
17	Then Approve the record in Reviewer	SKIPPED	0.000 s
18	And Give Remark and Submit	SKIPPED	0.001 s
19	Given Navigate as a Checker	SKIPPED	0.000 s
20	Then Click module security management	SKIPPED	0.000 s
21	And Claim the Record in Checker	SKIPPED	0.000 s
22	Then Goto the Checker notification Icon	SKIPPED	0.000 s
23	And Click the First Action Icon	SKIPPED	0.000 s
24	Then Approve the Record in checker stage	SKIPPED	0.001 s
25	And Give the Remark and Submit it	SKIPPED	0.000 s
26	Given Navigate to Azentio Kubs	SKIPPED	0.001 s
27	And Click on Accounting Setup module	SKIPPED	0.000 s
28	Then Click on Table Row First Eye Icon	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity


(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting template grid view

Actions	Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
	Azentio Software	Testing02	ACCB00K-07	IFRS Book	CUSTOM_TEMPLATE	10-Nov-2022	1002435
	Azentio Software	Testing01	ACCB00K-06	IFRS Book	Base Template	10-Nov-2022	1002435
	Azentio Software	ledger		GAAP	CUSTOM_TEMPLATE	18-Mar-2022	1002435
	Azentio Software	aCC BOOK	ACCB00K-04	IFRS Book	Base Template	18-Mar-2022	1002435
	Azentio Software	Account_Base		IFRS Book	Base Template	17-Mar-2022	1002435
	Azentio Software	CUSTOM BOOK2	ACCB00K-02	IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
	Azentio Software	CUSTOM BOOK		IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
	Azentio Software	Base_GAPP2	ACCT05	GAAP	Base Template	06-Dec-2021	le4maker

11 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type * Book Name * Effective Date 21-Mar-2022

* Book Type * Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type
Base Template x

* Book Name

* Effective Date
21-Mar-2022

* Book Type

* Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type
Base Template x

* Book Name
Testing01

* Effective Date
21-Mar-2022

* Book Type

* Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type Base Template x

* Book Name

* Effective Date 10-Nov-2022

* Book Type

* Remarks

BookName already exists!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type Base Template x

* Book Name

* Effective Date 10-Nov-2022

* Book Type IFRS Book x

* Remarks

BookName already exists!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type	* Book Name	* Effective Date
Base Template		10-Nov-2022
* Book Type	* Remarks	
IFRS Book	Okay	

BookName already exists!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an accounting base templet for
accounting book for legal entity

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Template

* Template Type	* Book Name	* Effective Date
Base Template		10-Nov-2022
* Book Type	* Remarks	
IFRS Book	Okay	

Home Preference