


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration	
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	29.282 s	



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	16	12	1	3	29.279 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

## (F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 29.282 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 9:43:55.499 AN	Л // 9:44:24.781 AM /	Pass - 0	1	Pass - 12	16
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 3	

## (S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED DURATION - 29.279 s		П		1	1			-	1	-	-	-					-	Steps			
/ 9:43:55.502 AM // 9:44:24.781 AM /	10	#1	•	÷ -	-									-				Total - 16			N.
testing the fuctionalities of bank reconciliation	5	-  -	•	<u> </u> -	-		-					-		-				Pass - 12		16	
module				-		-	1				-	-	_		_			Skip - 3			•
@KUBS_TAX_UAT_0010_001TC_001	1	7=	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	SKIP O	'		

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	13.619 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
	■		
2	And user click bank recon module	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		


A file   Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)   Screenshot   Screenshot	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And user click add icon in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  PASSED  0.121 s		1		
screenshot  And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  D. 121 s	3	And user click eye icon in bank recon module	PASSED	0.313 s
And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.161 s
4 And user click add icon in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AND User select bank account Number in bank recon Module  APASED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASED  APASED  O.208 s  PASSED  O.208 s  PASSED  O.208 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  PASSED  0.121 s				
screenshot  And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  PASSED  0.121 s	4	And user click add icon in bank recon	PASSED	0.227 s
And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user select bank account Number in bank recon Module  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.21 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  0.121 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  0.160 s  PASSED  0.208 s  0.211 s				
Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  0.121 s	5	And user select bank name in bank recon Module for csv file	PASSED	0.261 s
6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.208 s  0.121 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.208 s  0.121 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.121 s		0   1   1   1   1   1   1   1   1   1		
	6	And user select bank account Number in bank recon Module	PASSED	0.208 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
		screenshot	]	

#	Step / Hook Details	Status	Duration
	The Continue of the Continue o		
7	And user click bank recon from date and select the date for csv file	PASSED	1.512 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
	D     D		
8	And user click bank recon to date and select the date for csv file	PASSED	1.490 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	Screenshot    P		
	And year click change file and unlead the heak statement for any	DACCED	0.129 s
9	And user click choose file and upload the bank statement for csv  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED PASSED	0.129 S 0.208 S
	screenshot	TI ASSED	0.200 3
	SCIENTISTICS	-	
10	And user click save button in bank recon	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		


#	Step / Hook Details	Status	Duration
	No. 10   Section   No. 10   Se		
11	And user click process button in bank recon	PASSED	0.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.870 s
	screenshot		
	#		
12	And user click the unmatched data in bank recon process	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		
	The state of the		
13	And user match the records in unmached tab	FAILED	0.428 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a0bac91ff4ee7d3aa71e49f597c11b2f, clickElement {id=8f77efaf-6e22-4c87-9b98-9e11cd45e735}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:54751}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54751/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a0bac91ff4ee7d3aa71e49f597c11b2f)] -> xpath: //ion-label[text()=' Yes ']] Session ID: a0bac91ff4ee7d3aa71e49f597c11b2f     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Bank_ReconModule.user_match_the_records_in_unmached_tab(Bank_ReconModule.java:302) at ?.user match the records in unmached tab(file:///C:/Users/inindc00077/git/repository2/Ajitt_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	Screenshot   ***Profited State   State		
14	And user click matched data tab	SKIPPED	0.000 s
15	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.000 s
16	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

