Cucumber Report

| Start : May 10, 12:11:27.289 pm	End : May 10, 12:11:51.427 pm	Duration : 24.138 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 20

Features: 1

Scenarios: 1

Steps: 28

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 25 %

| #	Feature Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	1	0	1	0	24.138 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	Create Employee Limit	28	7	1	20	24.132 s

## (F)- to verify user can able to do transaction in petty cash module

FAILED	DURATION - 24.138 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 12:11:27.289 pm // 12:11:51.427 pm /		Pass - 0	**1**	Pass - 7	**28**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 20	

(S)- Create Employee Limit

FAILED	DURATION - 24.132 s		Steps	
/ 12:11:27.295 pm // 12:11:51.427 pm /			Total - 28	
to verify user can able to do transaction in petty cash module			Pass - 7	**28**
			Fail - 1	
@KUBS_PC_UAT_001_002			Skip - 20	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	14.753 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
2	Then Click on Pettycash Configuration	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on Employee Limit	PASSED	0.739 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
4	Then Click on Add Icon in Petty cash	PASSED	0.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
5	And Choose Employee Value	PASSED	0.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
6	Then Enter Advance Limit	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Choose Employee Currency value	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
8	Then save Record in Petty cash	FAILED	1.215 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> is not clickable at point (1414, 88). Other element would receive the click: <div class="ng-tns-c136-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" toast-component="" style="opacity: 1;">...</div> (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [764e76d2bc00bfca84d588924c067574, clickElement {id=e1ecaac0-d490-4679-93ac-d42db86ec840}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53251}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53251/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (764e76d2bc00bfca84d588924c067574)] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2])[3]] Session ID: 764e76d2bc00bfca84d588924c067574
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.Petty_Cash.save_record_in_petty_cash(Petty_Cash.java:126) at ?.save Record in Petty cash(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/PettyCash_UAT.feature:44) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.163 s
9	And Close the Alert	SKIPPED	0.001 s
10	Then Goto The Notification Icon	SKIPPED	0.000 s
11	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
12	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
13	Given Navigate as a Reviewer	SKIPPED	0.001 s
14	Then click on Notify icon	SKIPPED	0.000 s
15	And Click First record Action icon	SKIPPED	0.000 s
16	Then Approve the record in Reviewer	SKIPPED	0.000 s
17	And Give Remark and Submit	SKIPPED	0.001 s
18	Given Navigate as a Checker	SKIPPED	0.000 s
19	Then Click module security management	SKIPPED	0.001 s
20	And Claim the Record in Checker	SKIPPED	0.001 s
21	Then Goto the Checker notification Icon	SKIPPED	0.001 s
22	And Click the First Action Icon	SKIPPED	0.000 s
23	Then Approve the Record in checker stage	SKIPPED	0.000 s
24	And Give the Remark and Submit it	SKIPPED	0.000 s
25	Given Navigate The Azentio Url	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
26	Then Click on Pettycash Configuration	SKIPPED	0.000 s
27	And Click on Employee Limit	SKIPPED	0.000 s
28	Then Click on Table Row First Eye Icon	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Employee Limit

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Employee Limit

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Employee Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Employee Limit

(F) to verify user can able to do transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Employee Limit	
(F) to verify user can able to do transaction in petty cash module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Employee Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Employee Limit

(F) to verify user can able to do
transaction in petty cash module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Employee Limit

(F) to verify user can able to do
transaction in petty cash module