


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed Assets	1	0	1	0	39.410 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed	Create an amendment to modify an asset for capitalization	36	19	1	16	39.403 s
	Assets	date					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the Fixed Assets

FAILED	DURATION - 39.410 s	Scenarios		Steps	
		Total - 1		Total - 36	
/ 3:05:42.275 pm	n // 3:06:21.685 pm /	Pass - 0	1	Pass - 19	36
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Create an amendment to modify an asset for capitalization date



#	Step / Hook Details	Status	Duration
1	Given Lauch The Azentio Url	PASSED	12.931 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
	** ** ** ** ** ** ** ** ** ** ** ** **		
2	Then Click Second Segment Icon	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		

#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
3	And Click on fixed Asset Module	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
	The Control of the Co		
4	Then click on Asset creation Eye icon	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.431 s
5	And Click to view First record and store RefNo	PASSED	0.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The step of the ste	PASSED	0.211 s
6	Then Click on Asset Ammendent submodule Eye Icon	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		

7 And Click on Add Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 Then Enter Asser Referance Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Enter Asser Item Number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefin	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Enter Asset Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 PASSED O.258 s PASSED O.172 s O.173 s O.174 s O.175 s				
Screenshot Streenshot	7	And Click on Add Icon	PASSED	0.272 s
8 Then Enter Asset Referance Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.258 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s 10 Then Choose Modification Type Which we need AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.411 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
8 Then Enter Asset Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.605 s PASSED O.147 s O.1		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Choose Modification Type Which we need AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s 0.147 s 0.147 s		No. 0		
Screenshot 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then Choose Modification Type Which we need AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.258 s 0.172 s 0.172 s	8	Then Enter Asset Referance Number	PASSED	0.605 s
9 And Enter Asset Item Number PASSED 0.258 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Choose Modification Type Which we need AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.411 s 0.411 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Choose Modification Type Which we need AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.258 s 0.172 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Choose Modification Type Which we need AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s PASSED 0.172 s				
Screenshot 10 Then Choose Modification Type Which we need AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.411 s PASSED 0.159 s	9	And Enter Asset Item Number	PASSED	0.258 s
10 Then Choose Modification Type Which we need AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.411 s 0.159 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
10 Then Choose Modification Type Which we need AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.411 s 0.159 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s		Note		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s	10	Then Choose Modification Type Which we need	PASSED	0.411 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
		screenshot]	

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFSSED O.386 s O.386 s AFSSED O.386 s AFSSED O.386 s AFSSED O.386 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 12 And Choose a current date in calender AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 Then Save the Asset Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefi		Windows Wind		
Screenshot PASSED 0.373 s PASSED 0.168 s PASSED 0.218 s	11	And Click on calender Icon	PASSED	0.178 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) The name of the same the Asset Record Passed Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) The name of the same the Asset Record Passed		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
And Choose a current date in calender		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Save the Asset Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Click on Maker Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARSED O.218 s PASSED O.203 s ARSED O.386 s PASSED O.386 s PASSED O.386 s		Marine 1		
screenshot Then Save the Asset Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Click on Maker Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s 0.203 s	12	And Choose a current date in calender	PASSED	0.373 s
Then Save the Asset Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And Click on Maker Notification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s 0.203 s 0.203 s 0.306 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
Then Save the Asset Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click on Maker Notification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s PASSED 0.203 s PASSED 0.386 s PASSED 0.386 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And Click on Maker Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s PASSED 0.386 s PASSED 0.386 s		The control of the		
Screenshot 14 And Click on Maker Notification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s 0.306 s	13	Then Save the Asset Record	PASSED	0.218 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s O.306 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
14 And Click on Maker Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s 0.306 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.306 s		Manage 0		
	14	And Click on Maker Notification	PASSED	0.386 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
		screenshot	7	


Then Select Saved record and click on action icon PASSED 3.42	26 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.11	.7 s
screenshot	
S Particular (and and and and and and and and and and	
16 And Submit the Asset record to Reviewer PASSED 1.58	32 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.19	96 s
screenshot	
17 Given Launch the Azentio Reviewer Page 8.65	53 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.10	00 s
screenshot	
PACE OF THE PACE O	
18 And Click the Reviewer Notification icon PASSED 0.80)6 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.14	l6 s

#	Step / Hook Details	Status	Duration
	1		
19	Then Click the submitted record from maker	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot	1	
	# Plant State		
20	And Click the Approve icon from Reviewer End	FAILED	0.153 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "path"; "selector": "Idatatable-row-wrapper[1]/datatable-body-cell[1]//ion-button"] (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga. selenium.chrome.ChromeDriver Command: [eftb0cbb4398faf39a8dc4d65c2dbf8ac, findElement (using=path, value=//datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]/in-button] Capabilities (acceptinsecureCers: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L), goog.chromeOptions: {debuggerAddress: localhost:59861], javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sex.cdp: ws://localhost:59861/devtoo, sex.cdp\version: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: etb0cbb4398faf39a8dc4d55c2dbf8ac at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseC		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetAmendment.click_the_approve_icon_from_reviewer_end(FIXEDASSET_AssetAmendment.java:262) at ?.Click the Approve icon from Reviewer End(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/ java/features/FIXEDASSET_AssetAmendment.feature:24) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot	_	
	The Continue of the Continue o		
21	Then Enter the remark and submit the Record	SKIPPED	0.000 s
22	Given Launch the Azentio Checker page	SKIPPED	0.001 s
23	Then Click the Security management module	SKIPPED	0.000 s
24	And Click the open pool Edit icon	SKIPPED	0.000 s
25	Then Claim the record Approved from Reviewer	SKIPPED	0.000 s
26	And Click the Checker Notification icon	SKIPPED	0.000 s
27	Then Click the Action Icon from claimed record	SKIPPED	0.000 s
28	And Click on Approve icon	SKIPPED	0.001 s
29	Then Submit the Record from Checker End	SKIPPED	0.000 s
30	Given Lauch The Azentio Url	SKIPPED	0.000 s
31	Then Click Second Segment Icon	SKIPPED	0.000 s
32	And Click on fixed Asset Module	SKIPPED	0.000 s
33	Then Click on Asset Ammendent submodule Eye Icon	SKIPPED	0.000 s
34	And Click the search icon	SKIPPED	0.000 s
35	Then Enter the Asset Referance No	SKIPPED	0.000 s
36	When capture the Asset Grid view	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --





EXPANDED SECTION -- 20 --

