

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	1	1	0	0	40.451 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking accountsPayable and	Check creating GRN against cancelled PO is not allowed	10	10	0	0	40.445 s
	accounts Receivable module						

DETAILED SECTION -- 4 --

(F)- Checking accounts Payable and accounts Receivable module

PASSED	DURATION - 40.451 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 2:25:01.585 PM	1 // 2:25:42.036 PM /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check creating GRN against cancelled PO is not allowed

PASSED DURATION - 40.445 s	20 - Steps	
/ 2:25:01.591 PM // 2:25:42.036 PM /	15 - Total - 10	
Checking accountsPayable and accounts	10 - Pass - 10	10
Receivable module	5	
@KUBS_AR_AP_UAT_003_002_TC_03	0 - Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	20.308 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
	The state of the s		
2	And click on accounts Payable module	PASSED	0.580 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		


The click on po creation module	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And search for cancelled po AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then go to GRN module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.483 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.282 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.357 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.614 s		The state of the		
screenshot 4 And search for cancelled po AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then go to GRN module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.614 s	3	·	PASSED	
4 And search for cancelled po AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then go to GRN module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
And search for cancelled po AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then go to GRN module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s PASSED 0.357 s PASSED 0.614 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then go to GRN module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s 0.142 s		0 / 10 / 10 / 10 / 10 / 10 / 10 / 10 /		
screenshot Then go to GRN module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.361 s	4	And search for cancelled po	PASSED	1.476 s
Then go to GRN module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on Add Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.483 s 0.282 s 0.282 s 0.357 s PASSED 0.357 s 0.614 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.282 s 0.357 s PASSED 0.357 s PASSED 0.357 s O.614 s		■ Constructions Security (a) Se	_	
Screenshot 6 And click on Add Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s 0.614 s	5	Then go to GRN module	PASSED	0.483 s
6 And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s 0.614 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
6 And click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s O.614 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.614 s		Post E C I		
	6	And click on Add Icon	PASSED	0.357 s
gereenshet		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.614 s
Screenshot		screenshot		


## OF THE PROPERTY OF THE PROP	
7 And check GRN can be created for that perticular po PASS	ED 4.557 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	ED 0.542 s
screenshot	
## O COL 1995 1995	
8 And click notification button PASS	ED 1.285 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	ED 0.155 s
9 Then choose first record in the notification record PASS	ED 0.181 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	ED 0.730 s
10 Then go to Item details and enter po number PASS	ED 2.037 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	ED 0.149 s

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	10 10 10 10 10 10 10 10		


EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

