Cucumber Report

| Start : Dec 13, 12:03:09.657 PM	End : Dec 13, 12:18:53.421 PM	Duration : 15 m 43.764 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 4

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	15 m 43.764 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify No accounting entry is generated on cancelling advances to employees	17	12	1	4	15 m 43.759 s

(F)- AR/AP Module

FAILED	DURATION - 15 m 43.764 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 12:03:09.657 PM // 12:18:53.421 PM /		Pass - 0	1	Pass - 12	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- Verify No accounting entry is generated on cancelling advances to employees

FAILED	DURATION - 15 m 43.759 s		Steps	
/ 12:03:09.662 PM // 12:18:53.421 PM /			Total - 17	
AR/AP Module			Pass - 12	17
@KUBS_AR/AP_UAT_003_008_TC_01 @AR/AP			Fail - 1	
			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	26.950 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		
2	Then select data set ID for verify no accounting entries for cancelling advance to employee	PASSED	0.491 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.419 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Choose the second Tab Segment	PASSED	1.975 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
4	Then go to ar ap adjustment module	PASSED	3.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
5	Then click on search	PASSED	1.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
6	And search the Ar cancelled advance in the adjustment screen	PASSED	1.436 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And select one record	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
8	Then click on report segment button	PASSED	1.915 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
9	And click on equiry menu	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
10	Then click on edit icon near by fiancial transaction menu	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And choose branch code	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
12	And click on transaction from date calender icon	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
13	Then choose the from date	FAILED	14 m 42.601 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [600b52dd86cb6320f6f8e1acbeb8a505, clickElement {id=75ed4cd6-18fd-412e-872c-e3b76154ce09}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53554/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (600b52dd86cb6320f6f8e1acbeb8a505)] -> xpath: (//button[@type='button'])[3]] Session ID: 600b52dd86cb6320f6f8e1acbeb8a505
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.CancellationOfAdvanceToEmployees.choose_the_from_date(CancellationOfAdvanceToEmployees.java:165) at ?.choose the from date(file:///C:/Users/inindc00091/git/repository6/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:482) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.889 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [600b52dd86cb6320f6f8e1acbeb8a505, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53554/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 600b52dd86cb6320f6f8e1acbeb8a505 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
14	And click on the transaction to date calender icon	SKIPPED	0.001 s
15	Then choose the to date	SKIPPED	0.000 s
16	And click on view button	SKIPPED	0.003 s
17	Then adjustment reference number not availabe in the GL record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.392 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [600b52dd86cb6320f6f8e1acbeb8a505, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53554}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53554/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 600b52dd86cb6320f6f8e1acbeb8a505
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	    at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |
| (S) Verify No accounting entry is generated on cancelling advances to employees |
| (F) AR/AP Module |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |
| (S) Verify No accounting entry is generated on cancelling advances to employees |
| (F) AR/AP Module |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances to employees

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances to employees

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on cancelling advances to
employees

(F) AR/AP Module

	AZENTIO ONEBanking				15-Dec-2022 English ▾ Azentio Software ▾ (AZENTMAIN) ✉ ▣ 👤 ANANT

Finance ▾

← Adjustments View

Actions	Legal Entity	Branch Code – Name	Business Partner	Adjustment Type	Adjustment Item Type	Amount	Status
	Search Legal Entity	Search Branch Code	Search Business Pa	Search Adjustment T	Search Adjustment I	Search Amount	Search Stat
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	Bonton Agency	Cancellation	AR Credit Note	2	Active
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	Bonton Agency	Cancellation	Bill/Expense	20000	Active
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	Shasheekant	Cancellation	Goods Received Notes	1000	Active
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	Shasheekant	Cancellation	Purchase Order	500000	Active
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	Shasheekant	Cancellation	Contract	0	Active
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	Bonton Agency	Cancellation	AR Advances	0.25	Active
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	Shasheekant	Cancellation	AR Advances	1.11	Active
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	Shasheekant	Cancellation	AR Advances	1.11	Active
👁 ✏	Azentio Software	AZENTMAIN - Azentio N	Gangeeta	Cancellation	AR Advances	1.11	Active

15 total

Menu items: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), AR and AP adjustments, Accounts receivable, Fixed assets, Inventory management, Petty cash, Bank recon

22 Appro... ✕ 11 Mess... ✕

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on cancelling advances to
employees

(F) AR/AP Module

	AZENTIO ONEBanking		15-Dec-2022 English ▾ Azentio Software ▾ (AZENTMAIN) ✉ ▣ 👤 ANANT

Finance ▾

← Adjustmet Module

* Bp Name	* Transaction Date	* Value Date
Bonton Agency ✕ ▾	09-Nov-2022 📅	14-Sep-2023 📅

Adjustment Code	* Adjustment Type	* Adjustment Items Type
ADJ-10-112022	Cancellation ✕ ▾	AR Advances ✕ ▾

* Adjustment Reference	* Cancellation Amount	Remarks
ADV_17_20102022 ✕ ▾	0.25 INR	

Status
Active ✕ ▾

Menu items: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), AR and AP adjustments, Accounts receivable, Fixed assets, Inventory management, Petty cash, Bank recon

22 Appro... ✕ 11 Mess... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances to employees

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances to employees

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on cancelling advances to employees	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on cancelling advances to employees	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on cancelling advances to employees	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on cancelling advances to employees	
(F) AR/AP Module	