
## **Cucumber Report**




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	2 m 12.551 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Balance sheet post payment settlement approval.	9	0	1	8	2 m 12.545 s

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 2 m 12.551 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 9:14:32.962 PI	M // 9:16:45.513 PM /	Pass - 0	1	Pass - 0	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

## (S)- Verify Balance sheet post payment settlement approval.



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	1 m 26.333 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.146', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6e9e529c5d0aeb5eb11a9dd63da49369, findElement {using=xpath, value=//input[@name='username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55578}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55578/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6e9e529c5d0aeb5eb11a9dd63da49369 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

Step / Hook Details	Status	Duration
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source)		
at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:40)		
at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.		
user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:50)		
at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/		
AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp4.feature:88)		
* Not displayable characters are replaced by '?'.		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.036 s
org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.146', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [6e9e529c5d0aeb5eb11a9dd63da49369, screenshot {} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: C:\Users\In\text{ININDC-1\AppData\L}}, goog:chromeOptions: {debuggerAddress: localhost:55578}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55578/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6e9e529c5d0aeb5eb11a9dd63da49369 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ecotoc.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.Service.DriverCommandExecutor.ivokeExecute(Driver		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
2	Then Click on the Direction	SKIPPED	0.001 s
3	And Update the data set id for Balance sheet Report b3	SKIPPED	0.001 s
4	Then Third Segment report Icon	SKIPPED	0.001 s
5	And click the financial reporting	SKIPPED	0.001 s
6	And click the balance sheet report	SKIPPED	0.000 s
7	Then Fill the details for Balance sheet report	SKIPPED	0.002 s
8	Then Click on View buttons	SKIPPED	0.001 s
9	Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	35.659 s
	org.openga.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.146', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [6e9e529c5d0aeb5eb11a9dd63da49369, close {}] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: (chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: C:UsersININDC-1AppDatalL}, goog:chromeOptions: (debuggerAddress: localhost:55578], javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55578/devtoo, se.cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6e9e529c5d0aeb5eb11a9dd63da49369 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(OnstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:140) at org.openga.selenium.remote.serv		