

# Cucumber Report

08-Mar-2022, 2:48:34 pm

**Start : Mar 08, 2:47:39.287 pm**

**End : Mar 08, 2:48:32.049 pm**

**Duration : 52.762 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**



**FAILED - 1**

**SKIPPED - 0**

**PASSED - 6**

**FAILED - 1**

**SKIPPED - 8**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	52.762 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	<u>Check GRN Report</u>	15	6	1	8	52.746 s


**(F)- Check the Functionality of AR/AP Module**


<b>FAILED</b>	<b>DURATION - 52.762 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 6 Fail - 1 Skip - 8	
/ 2:47:39.287 pm // 2:48:32.049 pm /					

**(S)- Check GRN Report**

<b>FAILED</b>	<b>DURATION - 52.746 s</b>		Steps Total - 15 Pass - 6 Fail - 1 Skip - 8	
/ 2:47:39.303 pm // 2:48:32.049 pm /				
Check the Functionality of AR/AP Module				
@KUBS_AR_AP_UAT_003_003_TC_01				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.586 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	0.408 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.615 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click On Main module Accounts payable	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
			
4	Then Click On GRN Eye Icon	PASSED	0.460 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		
			
5	And Click On Search Icon	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
			
6	Then Click on Table Row First Eye Icon	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.403 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p><b>Then Enter the GRN status Active</b></p> <pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a020d298115e885f48ef85212b5c2b01, findElement {using=xpath, value=//datatable-header[1]/div[1]/div[2]/datatable-header-cell[6]/div[1]/ion-input[1]/input[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\scoped_dir10128_101281}, goog:chromeOptions: {debuggerAddress: localhost:60128}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60128/devtools, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a020d298115e885f48ef85212b5c2b01     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)     at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)     at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)     at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)     at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)     at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)     at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre>	FAILED	17.739 s

#	Step / Hook Details	Status	Duration
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.ARAP_CancellationOfGRN.enter_the_grn_status_active(ARAP_CancellationOfGRN.java:67) at ?.Enter the GRN status Active(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:10) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a020d298115e885f48ef85212b5c2b01, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60128}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60128/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a020d298115e885f48ef85212b5c2b01 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	FAILED	12.178 s
8	And Get BP Name and GRN Number	SKIPPED	0.000 s
9	Then Third Segment report Icon	SKIPPED	0.000 s
10	And Click main module Reports	SKIPPED	0.001 s
11	Then Click sub module GRN Report	SKIPPED	0.000 s
12	And Give Getted Business Partner Name	SKIPPED	0.000 s
13	Then Give Current business Date	SKIPPED	0.000 s
14	And Give GRN Status	SKIPPED	0.001 s
15	Then Click on View button	SKIPPED	0.000 s
	<b>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</b>	FAILED	0.290 s


#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a020d298115e885f48ef85212b5c2b01, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:60128}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60128/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a020d298115e885f48ef85212b5c2b01</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)  at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check GRN Report


(F) Check the Functionality of AR/AP  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP  
Module

The screenshot shows the Kastle Universal Banking (Beta) interface. The top header displays the date (22-Oct-2022), language (English), and user information (Azentio Software, (AZENTMAIN), ANANT). The left sidebar contains a menu with options: Finance, General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main content area shows a welcome message "Welcome, anant". The bottom navigation bar includes "Home" and "Preference" buttons.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP  
Module

The screenshot shows the Kastle Universal Banking (Beta) interface with the "GRN View" table. The table has columns: Actions, Branch Code - Name, GRN Number, Business Partner, Date, GRN Status, Create By, and Create Date. The table contains 8 rows of data, all with "ACTIVE" status. The bottom navigation bar includes "Home" and "Preference" buttons.

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-Agency-8-168-73	Borton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-167-73	Borton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-166-7	DELUXE 001	21-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-165-6	DELUXE 001	19-Oct-2022	ACTIVE	admin	06-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-164-5	DELUXE 001	19-Oct-2022	ACTIVE	admin	05-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-163-43	Borton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-162-43	Borton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-161-43	Borton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022

168 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP  
Module

Kastle Universal Banking (Beta)

22-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN View

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	Search Branch Co	Search GRN Num	Search Business F	Search Date	Search GRN Statu	Search Create By	Search Cre
	AZENTMAIN - Azentio N	GRN-Agency-8-168-73	Bonton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-167-73	Bonton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-166-7	DELUXE 001	21-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-165-6	DELUXE 001	19-Oct-2022	ACTIVE	admin	06-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-164-5	DELUXE 001	19-Oct-2022	ACTIVE	admin	05-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-163-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-162-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-161-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022

168 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check GRN Report

(F) Check the Functionality of AR/AP  
Module

Kastle Universal Banking (Beta)

22-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN View

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	Search Branch Co	Search GRN Num	Search Business F	Search Date	Search GRN Statu	Search Create By	Search Cre
	AZENTMAIN - Azentio N	GRN-Agency-8-168-73	Bonton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-167-73	Bonton Agency	22-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-166-7	DELUXE 001	21-Oct-2022	ACTIVE	admin	07-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-165-6	DELUXE 001	19-Oct-2022	ACTIVE	admin	06-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-164-5	DELUXE 001	19-Oct-2022	ACTIVE	admin	05-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-163-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-162-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-161-43	Bonton Agency	19-Oct-2022	ACTIVE	admin	04-Mar-2022

168 total

22 Appro... 11 Messa...

Home Preference