

# Cucumber Report

11 Jan 2023, 3:08:55 PM

Start : Jan 11, 3:03:34.398 PM

End : Jan 11, 3:08:53.575 PM

Duration : 5 m 19.177 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	<u>user create the patty cash login details</u>	1	0	1	0	5 m 19.177 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>user create the patty cash login details</u>	<u>Check report for fund requisition</u>	8	0	1	7	5 m 19.162 s

**(F)- user create the patty cash login details**


<b>FAILED</b>	<b>DURATION - 5 m 19.177 s</b>	Scenarios		Steps	
/ 3:03:34.398 PM // 3:08:53.575 PM /		Total - 1		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

**(S)- Check report for fund requisition**

<b>FAILED</b>	<b>DURATION - 5 m 19.162 s</b>		Steps	
/ 3:03:34.413 PM // 3:08:53.575 PM /			Total - 8	
user create the patty cash login details			Pass - 0	
@KUBS_PC_UAT_006_001			Fail - 1	
		Skip - 7		

#	Step / Hook Details	Status	Duration
1	<p>Given User should go to the kubs url and login as a maker user</p> <pre>org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.150', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [00a0870d25068d6dadbd4b8358b8089b, get {url=http://172.27.78.245:6080/kubs-qc/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52179}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52179/devtoo..., se.cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 00a0870d25068d6dadbd4b8358b8089b     at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72)     at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)     at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)     at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)     at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)     at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)     at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:119)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</pre>	<b>FAILED</b>	3 m 4.413 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:48)   at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/Pettycash.feature:4) Caused by: java.util.concurrent.TimeoutException   at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960)   at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095)   at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)   at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66)   at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)   at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)   at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)   at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)   at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56)   at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:119)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326)   at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:48)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:568)   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   at io.cucumber.java.Invoker.invoke(Invoker.java:24)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)   at io.cucumber.core.runner.TestStep.run(TestStep.java:64)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:104)   at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)   at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2 m 1.783 s
2	Then click on report icon	SKIPPED	0.001 s
3	And user should navigate to reports menu	SKIPPED	0.005 s

#	Step / Hook Details	Status	Duration
4	Then user update the Excel sheet testdata for Pettycash	SKIPPED	0.002 s
5	Then click on temp grid button of fund requisition report	SKIPPED	0.001 s
6	And select the date to check the fund requisition details are displaying	SKIPPED	0.001 s
7	Then click in the view button to check	SKIPPED	0.000 s
8	Then the report is displaying all fund requisition details	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check report for fund requisition

(F) user create the patty cash login details

