# Cucumber Report

| | | |
|---|---|---|
| **Start : Feb 07, 1:51:10.976 AM** | **End : Feb 07, 1:51:39.638 AM** | **Duration : 28.662 s** |
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 6<br>FAILED - 0<br>SKIPPED - 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Checking the Acount Payable  functionality | 1 | 1 | 0 | 0 | 28.662 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Checking the Acount Payable functionality | Create a purchase order with Unique purchase order number | 6 | 6 | 0 | 0 | 28.659 s |

## (F)- Checking the Acount Payable  functionality

| PASSED | DURATION - 28.662 s | | Scenarios | | Steps | |
|---|---|---|---|---|---|---|
| / 1:51:10.976 AM // 1:51:39.638 AM / | | | Total - 1 | 1 | Total - 6 | 6 |
| | | | Pass - 1 | | Pass - 6 | |
| | | | Fail - 0 | | Fail - 0 | |
| | | | Skip - 0 | | Skip - 0 | |

## (S)- Create a purchase order with Unique purchase order number

| PASSED | DURATION - 28.659 s | | Steps | |
|---|---|---|---|---|
| / 1:51:10.979 AM // 1:51:39.638 AM / | | | Total - 6 | 6 |
| Checking the Acount Payable  functionality | | | Pass - 6 | |
| @KUBS_INV_MGMT_UAT_001_003 @MultiAuth | | | Fail - 0 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Maker Navigate to UAT URL login | PASSED | 9.230 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.141 s |
| | screenshot | | |
| |  + | | |
| 2 | Then Click on Direction icon | PASSED | 0.098 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.332 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | Then Click on Account Payable | PASSED | 7.907 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.131 s |
| | screenshot<br> | | |
| 4 | Then Click on purchase order Eye Icon | PASSED | 0.174 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.280 s |
| | screenshot<br> | | |
| 5 | Then Click on purchase order Add button | PASSED | 0.234 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | screenshot<br> | | |
| 6 | Then Fill purchase order Mandatory fields | PASSED | 7.375 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.103 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
|   |  |   |   |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Create a purchase order with Unique purchase order number | |
| (F) Checking the Acount Payable functionality | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Create a purchase order with Unique purchase order number | |
| (F) Checking the Acount Payable functionality | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Create a purchase order with Unique purchase order number | |
| (F) Checking the Acount Payable functionality | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Create a purchase order with Unique purchase order number | |
| (F) Checking the Acount Payable functionality | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Checking the Acount Payable functionality