

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	0	1	0	2 m 21.722 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and	System should able to approve the supplimentary requested	16	15	1	0	2 m 21.694 s
	planning UAT files	budget					

DETAILED SECTION

(F)- user create login in to Budget and planning UAT files

FAILED	DURATION - 2 m 21.722 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 10:40:22.549	AM // 10:42:44.271 AM /	Pass - 0	1	Pass - 15	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- System should able to approve the supplimentary requested budget



#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	1 m 12.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.758 s
	screenshot		
	According to the second of the		
2	And maker should navigate to the budget module UAT	PASSED	5.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.644 s
	screenshot		
	ALANCE A		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 When maker click on budget supplementary eye icon UAT AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.282 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) D. 590 s	#	Step / Hook Details	Status	Duration
4 When maker click on budget supplementary eye icon UAT AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.008 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.394 s	3	And maker click on budget field UAT	PASSED	0.785 s
When maker click on budget supplementary eye icon UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.008 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.394 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
When maker click on budget supplementary eye icon UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAD user update the Excel sheet testdata for Budget and planning Allocation4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.008 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.394 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user update the Excel sheet testdata for Budget and planning Allocation4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.008 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.008 s		No see alone of the control of the c		
screenshot And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user update the Excel sheet testdata for Budget and planning Allocation4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.008 s 0.394 s	4	When maker click on budget supplementary eye icon UAT	PASSED	2.084 s
And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user update the Excel sheet testdata for Budget and planning Allocation4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.008 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.394 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.724 s
And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user update the Excel sheet testdata for Budget and planning Allocation4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.590 s 0.590 s 0.008 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.394 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And user update the Excel sheet testdata for Budget and planning Allocation4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.590 s 0.590 s 0.008 s 0.008 s		*** The state of t		
Screenshot 6 And user update the Excel sheet testdata for Budget and planning Allocation4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.008 s 0.394 s	5	And click on add button on budget supplementary view page UAT	PASSED	2.282 s
6 And user update the Excel sheet testdata for Budget and planning Allocation4 PASSED 0.008 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.394 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.590 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.394 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.394 s		ALMOS State of the control of the c		
	6	And user update the Excel sheet testdata for Budget and planning Allocation4	PASSED	0.008 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
Second		screenshot		
		Solution with the first and th		
7 Then fill the input fields UAT 5.910 s	7	Then fill the input fields UAT	PASSED	5.910 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.330 s			PASSED	0.330 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	ADDITION OF THE PROPERTY OF TH		
8	Then fill apportion amount and save the record UAT	PASSED	5.807 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.514 s
	screenshot		
	Part		
9	And click notification button	PASSED	0.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.897 s
	screenshot		
	AUTION Point light included in the control of the		
10	Then click on the search button	PASSED	1.376 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.670 s
	screenshot		
	The state of the s		
11	And serach the budget supplimentory sub module name	PASSED	0.965 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot]	


Then choose first record in the notification record4 Output Description: Description:	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.281 s	
screenshot	
13 And click on Submit button PASSED 1.781 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.601 s	
screenshot	
14 Then enter remark in confirmation alertss 3.286 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.572 s	
screenshot	
15 Then click on submit button in alert PASSED 1.445 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.524 s	
screenshot	

#	Step / Hook Details	Status	Duration
	A DEFINITION The state of t		
16	And capture the reviewer ID in pop up which is open when we submit our record in maker stagesss	FAILED	5.731 s
	org.openqa.selenium.NoSuchElementException: no such element. Unable to locate element. ("method":"xpath", "selector":"/ldlv[@id='toast-container]/lbuttorn") (Session info: chrome=108b.0.5359.125) for documentation on this error, please visit: https://selenium.dev/exceptions/ino_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'De5KPD-PSK9T3U', jp: '10.2004.49' os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: '198b30a66358b40f4e0b576c5add755b, indfellement (using=xpath, value=/div/@id='dast-container'/lbutton]) Capabilites (acceptinsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: (chromedriverVersion: 108.0.5359.125), chrome: (chromedriverVersio		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.895 s
	screenshot		


EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --






EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

