Cucumber Report

Start : Mar 14, 12:26:59.257 PM	End : Mar 14, 12:27:26.039 PM	Duration : 26.782 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 5

Features: 1

Scenarios: 1

Steps: 7

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 14 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	26.782 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check stock return to vendors	7	1	1	5	26.772 s

(F)- Check the Functionality of Inventory

FAILED	DURATION - 26.782 s	Scenarios		Steps	
/ 12:26:59.257 PM // 12:27:26.039 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 7 Pass - 1 Fail - 1 Skip - 5	7

(S)- Check stock return to vendors

FAILED	DURATION - 26.772 s		Steps	
/ 12:26:59.267 PM // 12:27:26.039 PM /			Total - 7 Pass - 1 Fail - 1 Skip - 5	7
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_006_001				

| #	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	13.823 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.241 s
2	Then click on report button	FAILED	1.111 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-segment-button value="rpt" layout="icon-top" ng-reflect-value="rpt" ng-reflect-layout="icon-top" class="md in-segment in-segment-color segment-button-has-icon segment-button-has-icon-only segment-button-layout-icon-top ion-activatable ion-activatable-instant ion-focusable hydrated">...</ion-segment-button> is not clickable at point (234, 127). Other element would receive the click: <ion-radio class="sc-ion-select-popover md in-item interactive radio-checked hydrated" role="radio" aria-checked="true" aria-labelledby="ion-rb-0-lbl"></ion-radio> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fdb778a19b3170f02cd60e4c46c0c2f9, clickElement {id=6bb325c2-a733-4071-8b3c-d68949e50415}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

#	Step / Hook Details	Status	Duration

	96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54484}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54484/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (fdb778a19b3170f02cd60e4c46c0c2f9)] -> xpath: //ion-segment[1]/ion-segment-button[3]] Session ID: fdb778a19b3170f02cd60e4c46c0c2f9
	
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.InventoryManagament.click_on_report_button(InventoryManagament.java:1106)
	  at ?.click on report button(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:392)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot 		
3	Then Click on Report Tab	SKIPPED	0.000 s
4	Then Click on stock return report edit grid	SKIPPED	0.000 s
5	Then Fill the form for stock return report for return the inventories	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
6	And Click on view button to view report of stock return report	SKIPPED	0.000 s
7	Then verify the approved record is available in the report	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check stock return to vendors

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check stock return to vendors

(F) Check the Functionality of Inventory