Cucumber Report

| *Start : Feb 04, 12:22:41.482 pm*	*End : Feb 04, 12:37:22.115 pm*	*Duration : 14 m 40.633 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 16 FAILED - 1 SKIPPED - 9

Features: 1

Scenarios: 1

Steps: 26

Pass %: 0 %

Pass %: 0 %

Pass %: 61 %

#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	1	0	1	0	14 m 40.633 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionaliy	Check the rejected budget can be used	26	16	1	9	14 m 40.629 s

(F)- Check The Azentio UAT Budget Request and Allocation functionaliy

FAILED	DURATION - 14 m 40.633 s		Scenarios		Steps	
/ 12:22:41.482 pm // 12:37:22.115 pm /			Total - 1		Total - 26	
			Pass - 0	1	Pass - 16	26
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 9	

(S)- Check the rejected budget can be used

FAILED	DURATION - 14 m 40.629 s		Steps	
/ 12:22:41.486 pm // 12:37:22.115 pm /			Total - 26	
Check The Azentio UAT Budget Request and Allocation functionaliy			Pass - 16	26
			Fail - 1	
@KUBS_UAT_KUBS_BP_UAT_002_007			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
2	Then click the Two Direction Icon	PASSED	0.395 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click to the Budget	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
5	And click on the Add icon in Request and Allocation	PASSED	0.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
6	Then Current Budget Code	PASSED	0.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And select the Budget Year	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
8	Then click on the Branch	PASSED	0.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
9	And Select Branch checkbox	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
10	Then click on the Branch ok button	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
12	And Budget Amount for Budget Type Show in Budget type field	PASSED	0.475 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
13	And click on the save button	PASSED	2.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
14	Then click on the Maker icon button	PASSED	0.827 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And click on the Record Reject	PASSED	15.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
16	And click to the Budget	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
17	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	FAILED	13 m 48.951 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c8a48cf2b15edfce71cc09bb6756a62, findElement {using=xpath, value=//ion-button[@ng-reflect-router-link='/tabs/list/datagrid-view/131']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61870}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61870/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c8a48cf2b15edfce71cc09bb6756a62
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT. click_on_the_budget_sub_module_budget_request_and_allocation_near_eye_icon(Budget_BudgetRequestandAllocation_UAT.java:97) at ?.click on the Budget Sub module Budget Request and Allocation Near Eye Icon(file:///C:/Users/inindc00075/git/repository/ Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation_UAT.feature:154) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.162 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c8a48cf2b15edfce71cc09bb6756a62, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61870}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61870/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c8a48cf2b15edfce71cc09bb6756a62 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
18	And click on the Add icon in Request and Allocation	SKIPPED	0.000 s
19	Then Current Budget Code	SKIPPED	0.001 s
20	And select the Budget Year	SKIPPED	0.000 s
21	Then click on the Branch	SKIPPED	0.000 s
22	And Select Branch checkbox	SKIPPED	0.001 s
23	Then click on the Branch ok button	SKIPPED	0.000 s
24	Then select one currency we need	SKIPPED	0.000 s
25	And Budget Amount for Budget Type Show in Budget type field	SKIPPED	0.000 s
26	And click on the save button	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.234 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c8a48cf2b15edfce71cc09bb6756a62, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61870}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61870/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c8a48cf2b15edfce71cc09bb6756a62
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurati...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
- Inventory management
- Petty cash
- Bank recon

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

Actions		Budget Code	Budget Name	Budget Year	Budget Type	Total Budget Amount	Status
👁	✎	BUD_0123	BYK	2023-2024	MONTHLY	12000000	Active
👁	✎	BU004	AGAG	2022-2023	MONTHLY	50000	Active
👁	✎	BUD_10	Fishing	2022-2023	QUARTERLY	52222222.22	Active
👁	✎	BCD_HYR_1	BCD_HYR_1	2022-2023	HALFYEARLY	9999999999.99	Active
👁	✎	BUD006	monthly stationary budget	2022-2023	MONTHLY	6000000000	Active
👁	✎	BUD007	half yearly stationary budg	2022-2023	HALFYEARLY	100000000	Active
👁	✎	BDG02	BDG02	2022-2023	QUARTERLY	1999999999.98	Active
👁	✎	BUD111	Yearly budget for Laptops	2022-2023	YEARLY	9999999400	Active

69 total   ⏮ ◀ **1** 2 3 4 5 ▶ ⏭

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the rejected budget can be used	
(F) Check The Azentio UAT Budget Request and Allocation functionaliy	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

Actions	Budget Code	Budget Name	Budget Year	Budget Type	Total Budget Amount	Status
	BUD8898	Yerly printing budget	2022-2023	YEARLY	1000000	Active
	BU0055	AG	2022-2023	HALFYEARLY	500	Active
	BDG001	Head Office And Branch R	2022-2023	MONTHLY	500	Active
	BUD111	Yearly budget for Laptops	2022-2023	YEARLY	500	Active
					500	Active
	BDG001	Head Office And Branch R	2022-2023	MONTHLY	500	Active
	BUD111	Yearly budget for Laptops	2022-2023	YEARLY	100	Active
	BUD111	Yearly budget for Laptops	2022-2023	YEARLY	100	Active

46 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
	357	BUDGET_CREATION	MAKER	MAKER	1002435
	155	INVENTORY_REQ	MAKER	MAKER	1002435
	292	AP_BILL_BOOKING	MAKER	MAKER	1002435
			MAKER	MAKER	1002435
	144	INVENTORY_REQ	MAKER	MAKER	1002435

485 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the rejected budget can be used

(F) Check The Azentio UAT Budget Request and Allocation functionaliy