

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	21.036 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Reviewer approve Advance against PO Record	4	4	0	0	21.032 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

PASSED	DURATION - 21.036 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 6:07:38.838 PM	1 // 6:07:59.874 PM /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Reviewer approve Advance against PO Record



#	Step / Hook Details	Status	Duration
1	And user update the data set ID for Advance against PO Reviewer	PASSED	0.794 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
	+		
2	And User login as a reviewer user Approve Advance against PO	PASSED	8.021 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
	ASPECTS ASP		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
3	Then Click on notification button in reviewer	PASSED	1.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
4	And approve Advance against PO record by reviewer user	PASSED	6.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Reviewer approve Advance against PO Record

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Reviewer approve Advance against PO Record

(F) AR/AP Module



EXPANDED SECTION -- 7

