

Cucumber Report

Apr 9, 2022, 4:30:44 PM

Start : Apr 09, 4:29:06.440 PM

End : Apr 09, 4:30:41.488 PM

Duration : 1 m 35.048 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 22







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	1 m 35.048 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Create GRN against above create PO for above vendor	32	9	1	22	1 m 35.033 s





(F)- Check the Functionality of AR/AP Module



FAILED	DURATION - 1 m 35.048 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 32 Pass - 9 Fail - 1 Skip - 22	
/ 4:29:06.440 PM // 4:30:41.488 PM /					

(S)- Create GRN against above create PO for above vendor

<div>FAILED</div> <div>DURATION - 1 m 35.033 s</div>			<div>Steps</div> <div>Total - 32</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 22</div>	
/ 4:29:06.455 PM // 4:30:41.488 PM /				
Check the Functionality of AR/AP Module				
@KUBS_AR/AP_UAT_001_001_TC_004 @multiauth				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	22.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.117 s
	screenshot		
			
2	Then Click on the Finance	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on the Direction	PASSED	2.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot 		
4	Then Click on Accounts Payable	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot 		
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.582 s
	screenshot 		
6	Then Click on Add button	PASSED	0.415 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Fill the form for GRN	PASSED	2.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
			
8	Then Click on save button to save the record	PASSED	4.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
			
9	Then Click on notification & open record which we created for GRN	PASSED	4.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
10	Then Click on Item Details Tab	FAILED	14.031 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eec0b89fc91b29c3fa7dcbf149354c6, findElement {using=xpath, value=//ion-label[contains(text(),'Item Details')]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppDataL.		

#	Step / Hook Details	Status	Duration
	<p>..}, goog:chromeOptions: {debuggerAddress: localhost:52920}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52920/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3eec0b89fc91b29c3fa7dcbf149354c6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.InventoryManagment.click_on_item_details_tab(InventoryManagment.java:612) at ?.Click on Item Details Tab(file:///C:/Users/inindc00082/git/AzentioAutomationFrameworkmaster_new04.09/AzentioAutomationFramework/src/test/java/features/ArAp.feature:19) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eec0b89fc91b29c3fa7dcbf149354c6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:52920}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:</p>	FAILED	12.043 s


#	Step / Hook Details	Status	Duration
	Proxy(), se:cdp: ws://localhost:52920/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3eec0b89fc91b29c3fa7dcbf149354c6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
11	Then Select PO Number	SKIPPED	0.001 s
12	Then Add qty received qty approved	SKIPPED	0.001 s
13	Then Click on GRN item save button	SKIPPED	0.000 s
14	Then Click on the Notification	SKIPPED	0.000 s
15	Then Select the record which we saved	SKIPPED	0.000 s
16	Then Submit record	SKIPPED	0.000 s
17	Then Open the Reviewer account	SKIPPED	0.000 s
18	Then Click on the Notification	SKIPPED	0.000 s
19	Then Approve the record which we submitted from maker	SKIPPED	0.001 s
20	Then Go to Checker login	SKIPPED	0.000 s
21	Then Clam record	SKIPPED	0.000 s
22	Then Click on the notification and approve the record	SKIPPED	0.000 s
23	Given Navigate to URL and user should login as a maker	SKIPPED	0.000 s
24	Then Click on the Finance	SKIPPED	0.001 s
25	Then Click on the Direction	SKIPPED	0.000 s
26	Then Click on Accounts Payable	SKIPPED	0.001 s
27	Then Click on Good Recived Note GRN Eye buutton	SKIPPED	0.000 s
28	Given Navigate to URL and user should login as a maker	SKIPPED	0.000 s
29	Then Click on the Finance	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
30	Then Click on the Direction	SKIPPED	0.000 s
31	Then Click on Accounts Payable	SKIPPED	0.001 s
32	Then Click on Good Recived Note GRN Eye buutton	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.215 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eec0b89fc91b29c3fa7dcbf149354c6, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\pfnldbfk...}, goog:chromeOptions: {debuggerAddress: localhost:52920}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52920/devtools, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3eec0b89fc91b29c3fa7dcbf149354c6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN View

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-null-255-842022	Flutura Manufacturing C	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-254-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-253-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-252-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-251-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-250-84	Bonton Agency	05-Jan-2023	CANCELLED	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-249-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022

7 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN View

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-null-255-842022	Flutura Manufacturing C	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-254-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-253-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-252-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-251-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-250-84	Bonton Agency	05-Jan-2023	CANCELLED	admin	08-Apr-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-249-84	Bonton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022

7 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

GRN

* BP Name: suvarana Pvt Ltd * BP Branch: ICICI Bank Limited GRN Number

* Invoice Number: 1112 * GRN Date: 05-Jan-2023 GRN Amount: INR

* Delivery Location: BR0004-West Zone Upload Delivery challan: Choose File No file chosen

GRN Status: Active TXT Status

Remark

DOWNLOAD

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

GRN

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Created By	Created Date
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio I		suvarana Pvt Ltd	05-Jan-2023	ACTIVE	admin	09-Apr-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio I		Borton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio I		Flutura Manufacturing C	05-Jan-2023	ACTIVE	admin	08-Apr-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio I		Borton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio I		Borton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio I		Borton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio I		Borton Agency	05-Jan-2023	ACTIVE	admin	08-Apr-2022

7 total

Home Preference

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) Create GRN against above create PO
for above vendor

(F) Check the Functionality of AR/AP Module

☰

Kastle Universal Banking (Beta)

05-Jan-2023 English Azentio Software (AZENTMAIN)

🔔 🏠 👤 ANANT

Finance

⚙️

📁

📄

General ledger transaction

Budget

Accounts payable

▶ Vendor contracts

▶ Vendor purchase orders

▶ Goods received note (GRN)

▶ Invoice booking

▶ Payment settlement

▶ Payment settlement cancellation

22 Appro... 11 Messa...

← Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	978	GRN_EVENT	MAKER	MAKER	1002435
✓	977	GRN_EVENT	MAKER	MAKER	1002435
✓	188	AR_CREDIT_NOTES	MAKER	MAKER	1002435
✓	851	AP_BILL_BOOKING	MAKER	MAKER	1002435
✓	184	AR_CREDIT_NOTES	MAKER	MAKER	1002435

1,802 total

⏪

<

1

2

3

4

5

>

⏩